

References

It has not been possible to give references for everything mentioned in the text but it is hoped that by using a combination of the Further reading listed above and the following selected references the reader will be able to locate the sources used. For a chapter in a multi-author work the names of the author(s) and editor(s) (e.g. Lizotte, in Thomas and Dieckmann 2003) are given in the text and the reference appears in this list only under the name(s) of the editor(s). Note: if an item is listed in the Further reading list, it is not repeated again here.

- Ackley, S., Wadhams, P., Comiso, J.C., and Worby, A.P. (2003) Decadal decrease of Antarctic sea ice extent inferred from whaling records revisited on the basis of historical and modern sea ice records. *Polar Research* **22**, 19–25.
- Adams, B.J., Bardgett, R.D., Ayres, E., Wall, D.H., Aislabie, J., Bamforth, S. *et al.* (2006) Diversity and distribution of Victoria Land biota. *Soil Biology and Biochemistry* **38**, 3003–3018.
- Agnew, D. (2004) *Fishing South: the History and Management of South Georgia Fisheries*. Penna Press, St Albans.
- Ahn, I.-Y., Chung, H., Kang, J.-S., and Kang, S.-H. (1997) Diatom composition and biomass variability in nearshore waters of Maxwell Bay, Antarctica, during the 1992/1993 austral summer. *Polar Biology* **17**, 123–130.
- Alexander, V., Stanley, D.W., Daley, R.J., and McRoy, C.P. (1980) Primary producers. In Hobbie, J.E. (ed.), *Limnology of Tundra Ponds, Barrow, Alaska*, pp. 179–248. Dowden, Hutchinson & Ross, Stroudsburg, PA.
- Allegrucci, G., Carchini, G., Todisco, V., Convey, P., and Sbordoni, V. (2006) A molecular phylogeny of Antarctic Chironomidae and its implications for biogeographical history. *Polar Biology* **29**, 320–326.
- AMAP (2002) *Arctic Pollution 2002*. Arctic Monitoring and Assessment Programme, Oslo.
- Ancel, A., Visser, H., Handrich, Y., Masman, D., and Le Maho, Y. (1997) Energy saving in huddling penguins. *Nature* **385**, 304–305.
- Archer, S.D., Leakey, R.J.G., Burkill, P., Sleigh, M.A., and Appleby, C.J. (1996) Microbial ecology of sea ice at a coastal Antarctic site: community composition, biomass and temporal change. *Marine Ecology Progress Series* **135**, 179–195.
- Arima, E.Y. (1988) *Inuit Kayaks in Canada: a Review of Historical Records and Construction*. Canadian Museum of Civilisation, Quebec.
- Arnaud, P.M. (1974) Contribution à la bionomie marine benthique des régions antarctiques et subantarctiques. *Téthys* **6**, 465–656.

- Arnold, R.J., Convey, P., Hughes, K.A., and Wynn-Williams, D.D. (2003) Seasonal periodicity of physical and edaphic factors, and microalgae in Antarctic fell-fields. *Polar Biology* **26**, 396–403.
- Arntz, W.E. (1997) Investigación antártica en biología marina: situación actual, proyectos internacionales y perspectivas. *Boletín de la Real Sociedad española de Historia Natural (Sección Biología)* **93**, 13–44.
- Arntz, W.E. and Gili, J.M. (2001) A case for tolerance in marine ecology: let us put out the baby with the bathwater. *Scientia Marina* **65** (suppl. 2), 283–299.
- Arntz, W.E., Brey, T., and Gallardo, V.A. (1994) Antarctic zoobenthos. *Oceanography and Marine Biology: an Annual Review* **32**, 241–304.
- Aronson, R.B. and Blake, D.B. (2001) Global climate change and the origin of modern benthic communities in Antarctica. *American Zoology* **41**, 27–39.
- Aronson, R.B., Blake, D.B., and Oji, T. (1997) Retrograde community structure in the late Eocene of Antarctica. *Geology* **25**, 903–906.
- Arrigo, K.R. (2005) Marine microorganisms and global nutrient cycles. *Nature* **437**, 349–355.
- Arrigo, K.R. and Lizotte, M.P. (eds) (1998) *Antarctic Sea Ice: Biological Processes, Interactions and Variability*. American Geophysical Union, Washington DC.
- Arrigo, K.R. and Thomas, D.N. (2004) Large scale importance of sea ice biology in the Southern Ocean. *Antarctic Science* **16**, 471–486.
- Arrigo, K.R., Dieckmann, G.S., Gosselin, M., Robinson, D.H., Fritsen, C.H., and Sullivan, C.W. (1995) High resolution study of the platelet ice ecosystem in McMurdo Sound, Antarctica: biomass, nutrient, and production profiles within a dense microalgal bloom. *Marine Ecology Progress Series* **127**, 255–268.
- Arrigo, K.R., Worthern, D.L., Lizotte, M.P., Dixon, P., and Dieckmann, G.S. (1997) Primary production in Antarctic sea ice. *Science* **276**, 394–397.
- Arrigo, K.R., Worthen, D., Schnell, A., and Lizotte, M.P. (1998) Primary production in Southern Ocean waters. *Journal of Geophysical Research* **103**, 15587–15600.
- Arrigo, K.R., Worthen, D.L., and Robinson, D.H. (2003) A coupled ocean-ecosystem model of the Ross Sea: 2. Iron regulation of phytoplankton taxonomic variability and primary production. *Journal of Geophysical Research* **108**, doi:10.1029/2001JC000856.
- Atkinson, A., Siegel, V., Pakhomov, E., and Rothery, P. (2004) Long-term decline in krill stock and increase in salps within the Southern Ocean. *Nature* **432**, 100–103.
- Bano, N., Ruffin, S., Ransom, B., and Hollibaugh, J.T. (2004) Phylogenetic composition of Arctic Ocean archaeal assemblages and comparison with Antarctic assemblages. *Applied and Environmental Microbiology* **70**, 781–789.
- Bargagli, R., Skotnicki, M.L., Marri, L., Pepi, M., Mackenzie, A., and Agnorelli, C. (2004) New record of moss and thermophilic bacteria species and physico-chemical properties of geothermal soils on the northwest slope of Mt. Melbourne (Antarctica). *Polar Biology* **27**, 423–431.
- Barnes, D.K.A. and Clarke, A. (1995) Seasonality of feeding activity in Antarctic suspension feeders. *Polar Biology* **15**, 335–340.
- Barnes, D.K.A. and Fraser, K.P.P. (2003) Rafting by five phyla on man-made flotsam in the Southern Ocean. *Marine Ecology Progress Series* **262**, 289–291.
- Barnes, D.K.A., Hodgson, D.A., Convey, P., Allen, C., and Clarke, A. (2006) Incursion and excursion of Antarctic biota: past, present and future. *Global Ecology and Biogeography* **15**, 121–142.
- Barr, S. (ed.) (1995) *Franz Josef Land*. Norsk Polarinstittutt, Tromsø.

- Barrett, P.J. (1991) Antarctica and global climatic change: a geological perspective. In Harris, C. and Stonehouse, B. (eds), *Antarctica and Global Climate Change*, pp. 35–50. Belhaven Press, London.
- Battista, J.R. (1997) Against all odds: the survival strategies of *Deinococcus radiodurans*. *Annual Review of Microbiology* **51**, 203–224.
- Belt, S.T., Massé, G., Rowland, S.J., Poulin, M., Michel, C., and LeBlanc, B. (2007) A novel chemical fossil of palaeo sea ice: IP25. *Organic Geochemistry* **38**, 16–27.
- Bennett, V.A., Kukal, O., and Lee, Jr, R.E. (1999) Metabolic opportunists: feeding and temperature influence the rate and pattern of respiration in the high arctic woollybear caterpillar *Gynaephora groenlandica* (Lymantriidae). *Journal of Experimental Biology* **202**, 47–53.
- Berta, A., Sumich, J., and Kovacs, K.M. (2005) *Evolutionary Biology of Marine Mammals*. Elsevier, San Diego, CA.
- Beyer, L. and Bölter, M. (eds) (2002) *Geoecology of Antarctic Ice-free Coastal Landscapes*. Ecological Studies vol. 154. Springer, Berlin.
- Bhatia, M., Sharp, M., and Foght, J. (2006) Distinct bacterial communities exist beneath a high Arctic polythermal glacier. *Applied and Environmental Microbiology* **72**, 5838–5845.
- Bischoff, B. and Wiencke, C. (1995) Temperature ecotypes and biogeography of *Acrosiphonales* (Chlorophyta) with Arctic–Antarctic disjunct and Arctic/cold-temperature distributions. *European Journal of Phycology* **30**, 19–27.
- Blix, A.S. and Nordøy, E.S. (2007) Ross seal (*Ommatophoca rossii*) annual distribution, diving behaviour, breeding and moulting off Queen Maud Land Antarctica. *Polar Biology* **30**, 1449–1458.
- Block, W. (1990) Cold tolerance of insects and other arthropods. *Philosophical Transactions of the Royal Society of London Series B* **326**, 613–633.
- Block, W. (1994) Terrestrial ecosystems: Antarctica. *Polar Biology* **14**, 293–300.
- Block, W. (1996) Cold or drought—the lesser of two evils for terrestrial arthropods? *European Journal of Entomology* **93**, 325–339.
- Bluhm, B. and Gradinger, R. (2008) Regional variability in food availability for Arctic marine mammals. *Ecological Applications* (in press).
- Bluhm, B., Gradinger, R., and Piraino, S. (2007) First record of sympagic hydroids (Hydrozoa, Cnidaria) in Arctic coastal fast ice. *Polar Biology* **30**, 1557–1564.
- Boenigk, J., Pfandl, K., Garstecki, T., Harms, H., Novarino, G., and Chatzinotas, A. (2006) Evidence for geographic isolation and signs of endemism within a protistan morphospecies. *Applied and Environmental Microbiology* **72**, 5159–5164.
- Booth, C.B. and Smith, Jr, W.O. (1997) Autotrophic flagellates and diatoms in the Northeast Water Polynya, Greenland: summer 1993. *Journal of Marine Systems* **10**, 241–261.
- Bornemann, H., Kreyscher, M., Ramdohr, S., Martin, T., Carlini, A., Sellmann, L., and Plötz, J. (2000) Southern elephant seal movements and Antarctic sea ice. *Antarctic Science* **12**, 3–15.
- Borriss, M., Helmke, E., Hanschke, R., and Schweder, T. (2003) Isolation and characterisation of marine psychrophilic phage-host systems from Arctic sea ice. *Extremophiles* **7**, 377–384.
- Boyd, P.W.T., Jickells, T., Law, C.S., Blain, S., Boyle, E.A., Buesseler, K.O. *et al.* (2007) Mesoscale iron enrichment experiments 1993–2005: Synthesis and future directions. *Science* **315**, 612–617.
- Brandt, A., de Broyer, C., Gooday, A.J., Hilbig, B., and Thomson, M.R.A. (2004) Introduction to ANDEEP (ANtarctic benthic DEEP-sea biodiversity: colonization

- history and recent community patterns)—a tribute to Howard L. Sanders. *Deep-Sea Reserach Part II* **51**, 1457–1465.
- Brandt, A., Gooday, A.J., Brandão, S.N., Brix, S., Brökeland, W., Cedhagen, T. *et al.* (2007) First insights into the biodiversity and biogeography of the Southern Ocean deep sea. *Nature* **447**, 307–311.
- Brierley, A.S. and Thomas, D.N. (2002) Ecology of Southern Ocean pack ice. *Advances in Marine Biology* **43**, 171–276.
- Brierley, A.S., Demer, D.A., Watkins, J.L., and Hewitt, R. (1999) Concordance of interannual fluctuations in acoustically estimated densities of Antarctic krill around South Georgia and Elephant Islands: biological evidence of same-year teleconnections across the Scotia Sea. *Marine Biology* **134**, 675–681.
- Brierley, A.S., Fernandes, P.G., Brandon, M.A., Armstrong, F., Millard, N.W., McPhail, S.D. *et al.* (2002) Antarctic krill under sea ice: elevated abundance in a narrow band just south of ice edge. *Science* **295**, 1890–1892.
- British Antarctic Survey (2004) *Antarctica 1:10,000,000 Map*. BAS (misc) 11. British Antarctic Survey, Cambridge.
- Broecker, W.S. (1997) Thermohaline circulation, the Achilles heel of our climate system: will man-made CO₂ upset the current balance? *Science* **278**, 1582–1588.
- Broecker, W.S., Sutherland, S., and Peng, T.-H. (1999) A possible 20th-century slowdown of Southern Ocean deep-water formation. *Science* **286**, 1132–1135.
- Brouwer, P.E.M. (1996) *In situ* photosynthesis and estimated annual production of the red macroalga *Myriogramme mangini* in relation to underwater irradiance at Signy Island (Antarctica). *Antarctic Science* **8**, 245–252.
- Brown, M.V. and Bowman, J.P. (2001) A molecular phylogenetic survey of sea-ice microbial communities (SIMCO). *FEMS Microbiological Ecology* **35**, 267–275.
- Bowman, J.P., McCammon, S.A., Brown, M.V., Nichols, D.S., and McMeekin, T.A. (1997) Diversity and association of psychrophilic bacteria in Antarctic sea ice. *Applied and Environmental Microbiology* **63**, 3068–3078.
- Buesseler, K.O., Andrews, J.E., Pike, S.M., and Charette, M.A. (2004) The effects of iron fertilization on carbon sequestration in the Southern Ocean. *Science* **304**, 414–417.
- Buma, A.G.J., de Boer, M.K., and Boelen, P. (2001) Depth distributions of DNA damage in Antarctic marine phyto- and bacterioplankton exposed to summertime UV radiation. *Journal of Phycology* **37**, 200–208.
- Buma, A.G.J., Wright, S.W., van den Enden, R., van de Poll, W.H., and Davidson, A.T. (2006) PAR acclimation and UVBR-induced DNA damage in Antarctic marine microalgae. *Marine Ecology Progress Series* **315**, 33–42.
- Cadée, G.C., González, H., and Schnack-Schiel, S.B. (1992) Krill diet affects faecal string settling. *Polar Biology* **12**, 75–80.
- Callaghan, T.V., Björn, L.O., Chernov, Y., Chapin, T., Christensen, T.R., Huntley, B. *et al.* (2004) Climate change and UV-B impacts on Arctic tundra and polar desert ecosystems. Key findings and extended summaries. *Ambio* **33**, 386–392.
- Cameron, R.E. (1969) *Abundance of Microflora in Soils of Desert Regions*. Technical Report 32–1378. Jet Propulsion Laboratory, Pasadena, CA.
- Campbell, I.B. and Claridge, G.G.C. (1987) *Antarctica: Soils, Weathering Processes and Environment*. Elsevier, Amsterdam.
- Campen, R.K., Sowers, T., and Alley, R.B. (2003) Evidence of microbial consortia metabolizing within a low-latitude mountain glacier. *Geology* **31**, 231–234.
- Cannon, R.J.C. and Block, W. (1988) Cold tolerance of microarthropods. *Biological Reviews* **63**, 23–77.

- Cannone, N., Guglielmin, M., and Gerdol, R. (2004) Relationships between vegetation patterns and periglacial landforms in northwestern Svalbard. *Polar Biology* **27**, 562–571.
- Carpenter, E.J., Lin, S., and Capone, D.G. (2000) Bacterial activity in South Pole snow. *Applied and Environmental Microbiology* **66**, 4514–4517.
- Carr, M.-E., Friedrichs, M.A.M., Schmeltz, M., Noguchi, A.M., Antoine, D., Arrigo, K.R. *et al.* (2006) A comparison of global estimates of marine primary production from ocean color. *Deep Sea Research* **53**, 741–770.
- Cavicchioli, R. (2002) Extremophiles and the search for extraterrestrial life. *Astrobiology* **2**, 281–292.
- Cavicchioli, R. (2006) Cold adapted archaea. *Nature Reviews Microbiology* **4**, 331–343.
- Chapin, F.S., Oswood, M.W., van Cleve, J., Viereck, L.A., and Verbyla, D.L. (2006) *Alaska's Changing Boreal Forests*. Oxford University Press, Oxford.
- Chapman, V.J. (ed.) (1977) *Wet Coastal Ecosystems*. Elsevier, Amsterdam.
- Cheng, C.C. and DeVries, A.L. (1991) The role of antifreeze glycopeptides and peptides in the freezing avoidance of cold-water fish. In di Prisco, G. (ed.), *Life Under Extreme Conditions. Biochemical Adaptation*, pp. 1–15. Springer, Berlin.
- Chernov, Y.I. (1985) *The Living Tundra*. Cambridge University Press, Cambridge.
- Chiantore, M., Cattaneo-Vietti, R., Povero, P., and Albertelli, G. (2000) The population structure and ecology of the Antarctic scallop *Adamussium colbecki* in Terra Nova Bay. In Faranda, F.M., Guglielmo, L., and Ianora, A. (eds), *Ross Sea Ecology*, pp. 563–573. Springer, Berlin.
- Chown, S.L. and Convey, P. (2007) Spatial and temporal variability across life's hierarchies in the terrestrial Antarctic. *Philosophical Transactions of the Royal Society of London Series B* **362**, doi:10.1098/rstb.2006.1949.
- Christner, B.C. (2002) Incorporation of DNA and protein precursors into macromolecules by bacteria at -15°C. *Applied and Environmental Microbiology* **68**, 6435–6438.
- Christner, B.C., Mosley-Thompson, E., Thompson, L.G., Zagorodnov, V., Sandman, K., and Reeve, J.N. (2000) Recovery and identification of viable bacteria immured in glacial ice. *Icarus* **144**, 479–485.
- Chyba, F.F. and Phillips, C.B. (2002) Europa as an abode of life. *Origins of Life and Evolution of the Biosphere* **32**, 47–68.
- Clark, P.U., Pisias, N.G., Stocker, T.F., and Weaver, A.J. (2002) The role of the thermohaline circulation in abrupt climate change. *Nature* **415**, 863–869.
- Clarke, A. (1983) Life in cold water: the physiological ecology of polar marine ectotherms. *Oceanography and Marine Biology: an Annual Review* **21**, 341–453.
- Clarke, A. (1988) Seasonality in the Antarctic marine environment. *Comparative Biochemical and Physiology* **90(B)**, 461–473.
- Clarke, A. (2003a) The polar deep seas. In Tyler, P.A. (ed.), *Ecosystems of the Deep Oceans*, pp. 239–260. Elsevier, Amsterdam.
- Clarke, A. (2003b) Evolution, adaptation and diversity: global ecology in an Antarctic context. In Huiskes, A.H.L., Gieskes, W.W.C., Rozema, J., Schorno, R.M.L., van der Vies, S.S., and Wolff, W.J., (eds), *Antarctic Biology in a Global Context*, pp. 3–17. Backhuys Publishers, Leiden.
- Clarke, A. and Crame, J.A. (1989) The origin of the Southern Ocean marine fauna. In Crame, J.A. (ed.), *Origins and Evolution of the Antarctic Biota*, pp. 253–268. Special Publication 47. Geological Society of London, London.

- Clarke, A. and Crame, J.A. (1992) The Southern Ocean benthic fauna and climate change: a historical perspective. *Philosophical Transactions of the Royal Society of London Series B* **338**, 299–309.
- Clarke, A. and Leakey, R.J.G. (1996) The seasonal cycle of phytoplankton, macronutrients and the microbial community in a nearshore Antarctic marine ecosystem. *Limnology and Oceanography* **41**, 1281–1299.
- Clarke, A. and Johnston, N.M. (2003) Antarctic marine benthic diversity. *Oceanography and Marine Biology: an Annual Review* **41**, 47–114.
- Clarke, A., Meredith, M.P., Wallace, M.I., Brandon, M.A., and Thomas, D.N. (2008) Seasonal and interannual variability in temperature, chlorophyll and macronutrients in northern Marguerite Bay, Antarctica. *Deep Sea Research Part II* (in press).
- Coale, K.H., Johnson, K.S., Chavez, F.P., Buesseler, K.O., Barber, R.T., Brzezinski, M.A. *et al.* (2004) Southern Ocean iron enrichment experiment: Carbon cycling in high- and low-Si waters. *Science* **304**, 408–414.
- Cockell, C.S. and Stokes, M.D. (2004) Widespread colonization by polar hypoliths. *Nature* **431**, 414.
- Cockell, C.S., Rettberg, P., Horneck, G., Wynn-Williams, D.D., Scherer, K., and Gugg-Helminger, A. (2002) Influence of ice and snow covers on the UV exposure of terrestrial microbial communities: dosimetric studies. *Journal of Photochemistry and Photobiology B: Biology* **68**, 23–32.
- Cocks, L.R.M. (ed.) (1981) *The Evolving Earth*. British Museum (Natural History) and Cambridge University Press, Cambridge.
- Codispoti, L.A., Flagg, C., Kelly, V., and Swift, J.H. (2005) Hydrographic conditions during the 2002 SBI process experiments. *Deep Sea Research Part II*, **52**, 3199–3226.
- Comiso, J.C. (2002) A rapidly declining Arctic perennial ice cover. *Geophysical Research Letters* **29**, doi:10.1029/2002GL015650.
- Comiso, J.C. (2003) Warming trends in the Arctic. *Journal of Climate* **16**, 3498–3510.
- Comiso, J.C. (2006) Abrupt decline in the Arctic winter sea ice cover. *Geophysical Research Letters* **33**, L18504.
- Comiso, J.C. and Parkinson, C.L. (2004) Satellite observed changes in the Arctic. *Physics Today* **57**, 38–44.
- Conovitz, P.A., McKnight, D.M., MacDonald, L.H., Fountain, A.G., and House, H.R. (1998) Hydrologic processes influencing streamflow variation in Fryxell Basin, Antarctica. In Prisco, J.C. (ed.), *Ecosystem Dynamics in a Polar Desert, the McMurdo Dry Valleys, Antarctica*, pp. 93–108. American Geophysical Union, Washington DC.
- Conservation of the Arctic Flora and Fauna (2001) *Arctic Flora and Fauna: Status and Conservation*. Edita, Helsinki.
- Convey, P. (1996a) The influence of environmental characteristics on life history attributes of Antarctic terrestrial biota. *Biological Reviews* **71**, 191–225.
- Convey, P. (1996b) Overwintering strategies of terrestrial invertebrates from Antarctica—the significance of flexibility in extremely seasonal environments. *European Journal of Entomology* **93**, 489–505.
- Convey, P. (2003) Maritime Antarctic climate change: signals from terrestrial biology. *Antarctic Research Series* **79**, 145–158.
- Convey, P. (2005) Recent lepidopteran records from sub-Antarctic South Georgia. *Polar Biology* **28**, 108–110.

- Convey, P. (2007) Antarctic ecosystems. In Levin, S.A. (ed.), *Encyclopedia of Biodiversity*, 2nd edn, pp. 174–184. Academic Press, San Diego, CA.
- Convey, P. and Smith, R.I.L. (1997) The terrestrial arthropod fauna and its habitats in northern Marguerite Bay and Alexander Island, maritime Antarctic. *Antarctic Science* **9**, 12–26.
- Convey, P. and Wynn-Williams, D.D. (2002) Antarctic soil nematode response to artificial environmental manipulation. *European Journal of Soil Biology* **38**, 255–259.
- Convey, P. and McInnes, S.J. (2005) Exceptional, tardigrade dominated, ecosystems from Ellsworth Land, Antarctica. *Ecology* **86**, 519–527.
- Convey, P. and Smith, R.I.L. (2006) Thermal relationships of bryophytes from geothermal habitats in the South Sandwich Islands, maritime Antarctic. *Journal of Vegetation Science* **17**, 529–538.
- Convey, P. and Stevens, M.I. (2007) Ecology: Antarctic biodiversity. *Science* **317**, 1877–1878.
- Convey, P., Greenslade, P., and Pugh, P.J.A. (2000a) Terrestrial fauna of the South Sandwich Islands. *Journal of Natural History* **34**, 597–609.
- Convey, P., Smith, R.I.L., Hodgson, D.A., and Peat, H.J. (2000b) The flora of the South Sandwich Islands, with particular reference to the influence of geothermal heating. *Journal of Biogeography* **27**, 1279–1295.
- Convey, P., Pugh, P.J.A., Jackson, C., Murray, A.W., Ruhland, C.T., Xiong, F.S., and Day, T.A. (2002) Response of Antarctic terrestrial arthropods to multifactorial climate manipulation over a four year period. *Ecology* **83**, 3130–3140.
- Convey, P., Scott, D., and Fraser, W.R. (2003) Biophysical and habitat changes in response to climate alteration in the Arctic and Antarctic. *Advances in Applied Biodiversity Science* **4**, 79–84.
- Cook, A.J., Fox, A.J., Vaughan, D.G., and Ferrigno, J.G. (2005) Retreating glacier fronts on the Antarctic Peninsula over the past half-century. *Science* **308**, 541–544.
- Corsetti, F.A., Olcott, A.N., and Bakermans, C. (2006) The biotic response to Neoproterozoic Snowball Earth. *Palaeogeography, Palaeoclimatology, Palaeoecology* **232**, 114–130.
- Cotté, C. and Guinet, C. (2007) Historical whaling records reveal major regional retreat of Antarctic sea ice. *Deep Sea Research Part I* **54**, 243–252.
- Coulson, S.J. (2007) The terrestrial and freshwater invertebrate fauna of the High Arctic archipelago of Svalbard. *Zootaxa* **1448**, 41–58.
- Coulson, S.J. and Resfeth, D. (2004) The terrestrial and freshwater fauna of Svalbard (and Jan Mayen). In Prestrud, P., Strøm, H., and Goldman, H.V. (eds), *A Catalogue of the Terrestrial and Marine Animals of Svalbard*, pp. 57–122. Norwegian Polar Institute, Trömso.
- Coulson, S.J., Hodkinson, I.D., Webb, N.R., and Harrison, J.A. (2002) Survival of terrestrial soil-dwelling arthropods on and in seawater: implications for transoceanic dispersal. *Functional Ecology* **16**, 353–356.
- Couzin, J. (2007) Opening doors to native knowledge. *Science* **315**, 1518–1519.
- Cowan, D.A., Russell, N.J., Mamais, A., and Sheppard, D.M. (2002) Antarctic Dry Valley mineral soils contain unexpectedly high levels of microbial biomass. *Extremophiles* **6**, 431–436.
- Craig, P.C. and McCart, P.J. (1975) Classification of stream types in Beaufort Sea drainages between Prudhoe Bay and the Mackenzie Delta., NWT, Canada. *Arctic, Alpine Research* **7**, 183–198.
- Crawford, R.M.M. (1995) Plant survival in the High Arctic. *Biologist* **42**, 101–105.

- Curren, M.A.J., van Ommen, T.D., Morgan, V.I., Phillips, K.L., and Palmer, A.S. (2003) Ice core evidence for Antarctic sea ice decline since the 1950s. *Science* **302**, 1203–1206.
- Czygan, F.-C. (1970) Blood-rain and blood-snow: nitrogen-deficient cells of *Haematococcus pluvialis* and *Chlamydomonas nivalis*. *Archives für Mikrobiologie* **74**, 69–76.
- Dalén, L., Fuglei, E., Hersteinsson, P., Kapel, C.M.O., Roth, J.D., Samelius G. *et al.* (2005) Population history and genetic structure of a circumpolar species: the arctic fox. *Biological Journal of the Linnean Society* **84**, 79–89.
- Dalén, L., Kvaloy, K., Linnell, J.D.C., Elmhagen, B., Strand, O., Tannerfeldt, M. *et al.* (2006) Population structure in a critically endangered arctic fox population: does genetics matter? *Molecular Ecology* **15**, 2809–2819.
- Daly, M.J. (2006) Modulating radiation resistance: insights based on defenses against reactive oxygen species in the radioresistant bacterium *Deinococcus radiodurans*. *Clinics in Laboratory Medicine* **26**, 491–504.
- Danks, H.V. (1999) Life cycles in polar arthropods—flexible or programmed? *European Journal of Entomology* **96**, 83–102.
- Davey, M.C. and Rothery, P. (1992) Factors causing the limitation of growth of terrestrial algae in maritime Antarctica during later summer. *Polar Biology* **12**, 595–602.
- Davidson, A.T. and Marchant, H.J. (1994) The impact of ultraviolet radiation on *Phaeocystis* and selected species of Antarctic marine diatoms. *Antarctic Research Series* **62**, 187–205.
- Davidson, A.T. and van der Heijden, A. (2000) Exposure of natural Antarctic marine microbial assemblages to ambient UV radiation: effects on bacterioplankton. *Aquatic Microbial Ecology* **21**, 257–264.
- Davis, CH, Li, Y., McConnell, J.R., Frey, M.M., and Hanna, E. (2005) Snowfall-driven growth in East Antarctic Ice Sheet mitigates recent sea-level rise. *Science* **308**, 1898–1901.
- Davis, R.C. (1980) Peat respiration and decomposition in Antarctic terrestrial moss communities. *Biological Journal of the Linnean Society* **14**, 39–49.
- Davis, R.C. (1981) Structure and function of two Antarctic terrestrial moss communities. *Ecological Monographs* **51**, 125–143.
- Day, T.A., Ruhland, C.T., Grobe, C.W., and Xiong, F. (1999) Growth and reproduction of Antarctic vascular plants in response to warming and UV radiation reductions in the field. *Oecologia* **119**, 24–35.
- Dayton, P.K., Robilliard, G.A., and Paine, R.T. (1970) Benthic faunal zonation as a result of anchor ice at McMurdo Sound, Antarctica. In Holdgate, M.W. (ed.), *Antarctic Ecology*, vol. **1**, pp. 244–258. Academic Press, London.
- de Baar, H.J.W., de Jong, J.T.M., Bakker, D.C.E., Löscher, B.M., Veth, C., Bathmann, U., and Smetacek, V. (1995) Importance of iron for plankton blooms and carbon dioxide drawdown in the Southern Ocean. *Nature* **373**, 412–415.
- de Broyer, C., Scailteur, Y., Chapelle, G., and Rauschert, M. (2001) Diversity of epibenthic habitats of gammaridean amphipods in the eastern Weddell Sea. *Polar Biology* **25**, 744–753.
- de Broyer, C., Nyssen, F., and Dauby, P. (2004) The crustacean scavenger guild in Antarctic shelf, bathyal and abyssal communities. *Deep-Sea Reserach Part II* **51**, 1733–1752.
- de Freitas, C.R. and Symon, L.V. (1987) A bioclimatic index of human survival times in the Antarctic. *Polar Record* **23**, 651–659.

- de la Mare, W.K. (1997) Abrupt mid-twentieth-century decline in Antarctic sea-ice extent from whaling records. *Nature* **389**, 57–59.
- Dell, R.K. (1972) Antarctic benthos. *Advances in Marine Biology* **10**, 1–216.
- DeLong, E.F. (1998) Archaeal means and extremes. *Science* **280**, 542–543.
- DeLong, E.F. and Karl, D.M. (2005) Genomic perspectives in microbial oceanography. *Nature* **437**, 336–342.
- DeLong, E.F., Wu, K.Y., Prezelin, B.B., and Jovine, R.V.M. (1994) High abundance of archaea in Antarctic marine picoplankton. *Nature* **371**, 695–697.
- Deming, J.W. (2002) Psychrophiles and polar regions. *Current Opinion in Microbiology* **5**, 301–309.
- de Mora, S.J., Demers, S., and Vernet, M. (eds) (2000) *The Effects of UV Radiation in the Marine Environment*. Cambridge University Press, Cambridge.
- Derocher, A.E., Lunn, N.J., and Stirling, I. (2004) Polar bears in a warming climate. *Integrative and Comparative Biology* **44**, 163–176.
- DeVries, A.L. (1997) The role of antifreeze proteins in survival of Antarctic fishes in freezing environments. In Battaglia, B., Valencia, J., and Walton, D.W.H. (eds), *Antarctic Communities. Species, Structure and Survival*, pp. 202–208. Cambridge University Press, Cambridge.
- Dickman, M. and Ouellet, M. (1987) Limnology of Garrow Lake. NWT, Canada. *Polar Record* **23**, 531–549.
- Dieckmann, G.S., Rohardt, G., Hellmer, H., and Kipfstuhl, J. (1986) The occurrence of ice platelets at 250 m depth near the Filchner Ice Shelf and its significance for sea ice biology. *Deep Sea Research* **33**, 141–148.
- Dieckmann, G.S., Spindler, M., Lange, M., Ackley, S.F., and Eicken, H. (1991) Antarctic sea ice: as habitat for the foraminiferan *Neogloboquadrina pachyderma*. *Journal of Foraminiferal Research* **21**, 182–189.
- Diez, B., Pedros-Alio, C., and Massana, R. (2001) Study of genetic diversity of eukaryotic picoplankton in different oceanic regions by small-subunit rRNA gene cloning and sequencing. *Applied Environmental Microbiology* **67**, 2932–2941.
- Dittmar, T. and Kattner, G. (2003) The biogeochemistry of the river and shelf ecosystem of the Arctic Ocean: a review. *Marine Chemistry* **83**, 103–120.
- DiTullio, G., Garrison, D.L., and Mathot, S. (1998) Dimethylsulphoniopropionate in sea ice algae from the Ross Sea polynya. *Antarctic Research Series* **73**, 139–146.
- Dixon, D., Mayewski, P.A., Kaspari, S., Kreutz, K., Hamilton, G., Maasch, K. *et al.* (2005) A 200 year sulfate record from 16 Antarctic ice cores and associations with Southern Ocean sea-ice extent. *Annals of Glaciology* **41**, 155–166.
- Domack, E., Duran, D., Leventer, A., Ishman, S., Doane, S., McCallum, S. *et al.* (2005) Stability of the Larsen B ice shelf on the Antarctic Peninsula during the Holocene epoch. *Nature* **436**, 681–685.
- Doran, P.T., Prisco, J.C., Lyons, W.B., Walsh, J.E., Fountain, A.G., McKnight, D.M. *et al.* (2002) Antarctic climate cooling and terrestrial ecosystem response. *Nature* **415**, 517–520.
- Doran, P.T., Fritsen, C.H., McKay, C.P., Prisco, J.C., and Adams, E.E. (2003) Formation and character of an ancient 19-m ice cover and underlying trapped brine in an “ice-sealed” east Antarctic lake. *Proceedings of the National Academy Sciences USA* **100**, 26–31.
- Drewry, D.J., Laws, R.M., and Pyle, J.A. (ed.) (1992) Antarctica and environmental change. *Philosophical Transactions of the Royal Society of London Series B* **338**, 199–334.

- Ducklow, H.W., Baker, K., Martinson, D.G., Quetin, L.B., Ross, R.M., Smith, R.C. *et al.* (2007) Marine pelagic ecosystems: the West Antarctic. *Philosophical Transactions of the Royal Society of London Series B* **362**, 67–94.
- Dunbar, R.B., Leventer, A.R., and Stockon, W.L. (1989) Biogenic sedimentation in McMurdo Sound, Antarctica. Symposium on Glaciomarine Environments, INQUA XII International Congress. *Marine Geology* **85**, 155–179.
- Dunton, K.H. (1992) Arctic biogeography: the paradox of the marine benthic fauna and flora. *Trends in Ecological Evolution* **7**, 183–189.
- Dunton, K. and Schell, D.M. (1987) Dependence of consumers on macroalgal (*Laminaria solidungula*) carbon in an Arctic kelp community: ^{13}C evidence. *Marine Biology* **93**, 615–625.
- EPICA Community Members (2004) Eight glacial cycles from Antarctic ice core. *Nature* **429**, 623–628.
- EPICA Community Members (2006) One-to-one coupling of glacial climate variability in Greenland and Antarctica. *Nature* **444**, 195–198.
- Edmonds, H.N., Michael, P.J., Baker, E.T., Connelly, D.P., Snow, J.E., Langmuir, C.H. *et al.* (2003) Discovery of abundant hydrothermal venting on the ultraslow-spreading Gakkel ridge in the Arctic Ocean. *Nature* **421**, 252–256.
- Ehrenberg, C.G. (1841) Einen Nachtrag zu dem Vortrage über Verbreitung und Einfluß des mikroskopischen Lebens in Süd- und Nordamerika. *Berichte über die zur Bekanntmachung geeigneten Verhandlungen der Königlich-Preussischen Akademie der Wissenschaften zu Berlin, Monatsberichte 1841*, 202–207.
- Ehrenberg, C.G. (1853) Über neue Ansaungen des kleinsten nördlichen Polarlebens. *Berichte über die zur Bekanntmachung geeigneten Verhandlungen der Königlich-Preussischen Akademie der Wissenschaften zu Berlin, Monatsberichte 1853*, 522–529.
- Eicken, H. (1992) The role of sea ice in structuring Antarctic ecosystems. *Polar Biology* **12**, 3–13.
- Eicken, H., Bock, C., Wittig, R., Miller, H., and Poertner H-O (2000) Magnetic resonance imaging of sea-ice pore fluids: methods and thermal evolution of pore microstructure. *Cold Regions Science and Technology* **31**, 207–225.
- El-Sayed, S.Z.E. (1994) *Southern Ocean Ecology: The BIOMASS perspective*. Cambridge University Press, Cambridge.
- Elvebakk, A. and Hertel, H. (1996) Lichens. In Elvebakk, A. and Prestrud, P. (eds), *A Catalogue of Svalbard Plants, Fungi and Cyanobacteria*. pp. 271–359. Norwegian Polar Institute Skrifter 198. Norwegian Polar Institute, Tromsø.
- Ernsting, G., Block, W., MacAlister, H., and Todd, C. (1995) The invasion of the carnivorous carabid beetle *Trechisibus antarcticus* on South Georgia (subantarctic) and its effect on the endemic herbivorous beetle *Hydromedion spassutum*. *Oecologia* **103**, 34–42.
- Ewing, M. and Donn, W.L. (1956) A theory of ice ages. *Science* **123**, 1061–1066.
- Fahrbach, E., Rohardt, G., and Krause, G. (1992) The Antarctic Coastal Current in the southeastern Weddell Sea. *Polar Biology* **12**, 171–182.
- Feder, H.M. and Jewett, S.C. (1981) Feeding interactions in the eastern Bering Sea with emphasis on the benthos. In Hood, D.W. and Calder, J.A. (eds), *The Eastern Bering Sea Self: Oceanography and Resources*, vol. **2**, pp. 1229–1261. University of Washington Press, Seattle, WA.
- Feder, H.M., Naidu, A.S., Jewett, S.C., Hameedi, J.M., Johnson, W.R., and Whitledge, T.E. (1994) The northeastern Chukchi Sea: benthosenvironmental interactions. *Marine Ecology Progress Series* **111**, 171–190.

- Feder, H.M., Jewett, S.C., and Blanchard, A. (2005) Southeastern Chukchi Sea (Alaska) epibenthos. *Polar Biology* **28**, 402–421.
- Fenton, J.H.C. and Smith, R.I.L. (1982) Distribution, composition and general characteristics of the moss banks of the maritime Antarctic. *British Antarctic Survey Bulletin* **51**, 215–236.
- Finlay, B.J. (2002) Global dispersal of free-living microbial eukaryote species. *Science* **296**, 1061–1063
- Fischbach, A.S., Amstrup, S.C., and Douglas, D.C. (2007) Landward and eastward shift of Alaskan polar bear denning associated with recent sea ice changes. *Polar Biology* **30**, 1395–1405.
- Fogg, G.E. and Thake, B. (1987) *Algal cultures and phytoplankton ecology*. University of Wisconsin Press, Madison, WI.
- Fountain, A.G., Tranter, M., Nysten, T.H., Lewis, K.J., and Mueller, D.R. (2004) Evolution of cryoconite holes and their contribution to meltwater runoff from glaciers in the McMurdo Dry Valleys, Antarctica. *Journal of Glaciology* **50**, 35–45.
- Fountain, A.G., Nysten, T.H., MacClune, K.L., and Dana, G.L. (2006) Glacier mass balances (1993–2001), Taylor Valley, McMurdo Dry Valleys, Antarctica. *Journal of Glaciology* **52**, 451–462.
- Freckman, D.W. and Virginia, R.A. (1998) Soil biodiversity and community structure in the McMurdo Dry Valleys, Antarctica. *Antarctic Research Series* **72**, 323–336.
- Frenot, Y., Chown, S.L., Whinam, J., Selkirk, P., Convey, P., Skotnicki, M., and Bergstrom, D. (2005) Biological invasions in the Antarctic: extent, impacts and implications. *Biological Reviews* **80**, 45–72.
- Fricker, H.A., Scambos, T., Bindschadler, R., and Padman, L. (2007) An active subglacial water system in West Antarctica mapped from space. *Science* **315**, 1544–1548.
- Friedman, E.I. (1982) Endolithic microorganisms in the Antarctic cold desert. *Science* **215**, 1045–1053.
- Friedman, E.I., Kappen, L., Meyer, M.A., and Nienow, J.A. (1993) Long-term productivity in the cryptoendolithic microbial community of the Ross Desert, Antarctica. *Microbial Ecology* **25**, 51–69.
- Frisvoll, A.A. and Elvebakk, A. (1996) Bryophytes. In Elvebakk, A. and Prestrud, P. (eds), *A Catalogue of Svalbard Plants, Fungi and Cyanobacteria*. pp. 57–172. Norwegian Polar Institute Skrifter 198. Norwegian Polar Institute, Tromsø.
- Gabric, A.J., Qu, B.O., Matrai, P., and Hirst, A.C. (2005) The simulated response of dimethylsulfide production in the Arctic Ocean to global warming. *Tellus B* **57**, 391–403.
- Gage, J.D. (2004) Diversity in deep-sea benthic macrofauna: the importance of local ecology, the larger scale, history and the Antarctic. *Deep-Sea Research Part II* **51**, 1689–1708.
- Garrison, D.L. (1991) Antarctic sea ice biota. *American Zoologist* **31**, 17–33.
- Garrison, D.L. and Buck, K.R. (1986) Organism losses during ice melting: a serious bias in sea ice community studies. *Polar Biology* **6**, 237–239.
- Garrison, D.L. and Buck, K.R. (1991) Surface-layer sea ice assemblages in Antarctic pack ice during the austral spring: environmental conditions, primary production and community structure. *Marine Ecology Progress Series* **75**, 161–172.

- Garrison, D.L. and Close, A.R. (1993) Winter ecology of the sea ice biota in Weddell Sea pack ice. *Marine Ecology Progress Series* **96**, 17–31.
- Geider, R.J., Delucia, E.H., Falkowski, P.G., Finzi, A.C., Grime, J.P., Grace, J. *et al.* (2001) Primary productivity of planet earth: biological determinants and physical constraints in terrestrial and aquatic habitats. *Global Change Biology* **7**, 849–882.
- Gerdel, R.W. and Drouet, F. (1960) The cryoconite of the Thule area, Greenland. *Transactions of the American Microscopical Society* **LXXIX**, 256–272.
- Gerdes, D., Hilbig, B., and Montiel, A. (2003) Impact of iceberg scouring on macrobenthic communities in the high-Antarctic Weddell Sea. *Polar Biology* **26**, 295–301.
- Gibson, J.A.E., Trull, T., Nichols, P.D., Summons, R.E., and McMinn, A. (1999) Sedimentation of C-13 rich organic matter from Antarctic sea ice algae: a potential indicator of past sea ice extent. *Geology* **27**, 331–334.
- Gili, J.M., Coma, R., Orejas, C., López-González, P.J., and Zavala, M. (2001) Are Antarctic suspension feeding communities different from those elsewhere in the world? *Polar Biology* **24**, 473–485.
- Gili, J.M., Arntz, W.E., Palanques, A., Orejas, C., Clarke, A., Dayton, P.K. *et al.* (2006) A unique assemblage of epibenthic sessile suspension feeders with archaic features in the high-Antarctic. *Deep-Sea Research Part II* **53**, 1029–1052.
- Gilichinsky, D. and Wagener, S. (1995) Microbial life in permafrost: a historical review. *Permafrost and Periglacial Processes* **6**, 243–250.
- Gill, P.C. and Thiele, D. (1997) A winter sighting of killer whales (*Orcinus orca*) in Antarctic sea ice. *Polar Biology* **17**, 401–404.
- Gleitz, M., Rutgers vd Loeff, M., Thomas, D.N., Dieckmann, G.S., and Millero, F.J. (1995) Comparison of summer and winter inorganic carbon, oxygen and nutrient concentrations in Antarctic sea ice brine. *Marine Chemistry* **51**, 81–91.
- Glud, R.N., Rysgaard, S., and Kuhl, M. (2002) A laboratory study on O₂ dynamics and photosynthesis in ice algal communities: quantification by microsensors, O₂ exchange rates ¹⁴C incubations and, P.A.M. fluorometer. *Aquatic Microbial Ecology* **27**, 301–311.
- Goldman, C.R., Mason, D.T., and Wood, B.J.B. (1963) Light injury and inhibition in Antarctic freshwater phytoplankton. *Limnology and Oceanography* **8**, 313–322.
- Goodchild, A., Saunders, N.F.W., Ertan, H., Raftery, M., Guilhaus, M., Curmi, P.M.G., and Cavicchioli, R. (2004) A proteomic determination of cold adaptation in the Antarctic archaeon, *Methanococoides burtonii*. *Molecular Microbiology* **53**, 309–321.
- Gosselin, M., Levasseur, M., Wheeler, P.A., Horner, R.A., and Booth, B.C. (1997) New measurements of phytoplankton and ice algal production in the Arctic Ocean. *Deep-Sea Research* **44**, 1623–1644.
- Gowing, M.M. (2003) Large viruses and infected microeukaryotes in Ross Sea summer pack ice habitats. *Marine Biology* **142**, 1029–1040.
- Gowing, M.M., Riggs, B.E., Garrison, D.L., Gibson, A.H., and Jeffries, M.O. (2002) Large viruses in Ross Sea late autumn pack ice habitats. *Marine Ecology Progress Series* **241**, 1–11.
- Gradinger, R.R. and Bluhm, B.A. (2004) In situ observations on the distribution and behavior of amphipods and Arctic cod (*Boreogadus saida*) under the sea ice of the high Arctic Canadian Basin. *Polar Biology* **27**, 595–603.
- Gradinger, R. and Ikävalko, J. (1998) Organism incorporation into newly forming Arctic sea ice in the Greenland Sea. *Journal of Plankton Research* **20**: 871–886.

- Gradinger, R. and Lenz, J. (1995) Seasonal occurrence of picocyanobacteria in the Greenland Sea and central Arctic Ocean. *Polar Biology* **15**, 447–452.
- Gradinger, R., Meiners, K., Plumley, G., Zhang, Q., and Bluhm, B.A. (2005) Abundance and composition of the sea ice meiofauna in off-shore pack ice of the Beaufort Gyre in summer 2002 and 2003. *Polar Biology* **28**, 171–181.
- Grebmeier, J.M., Overland, J.E., Moore, S.E., Farley, E.V., Carmack, E.C., and Cooper, L.W. (2006) A major ecosystem shift in the northern Bering Sea. *Science* **311**, 1461–1464.
- Greenslade, P., Farrow, R.A., and Smith, J.M.B. (1999) Long distance migration of insects to a subantarctic island. *Journal of Biogeography* **26**, 1161–1167.
- Gressitt, J.L. (ed.) (1970) Subantarctic entomology, particularly of South Georgia and Heard Island. *Pacific Insects Monograph* **23**, 1–374.
- Griffiths, D.J. (2006) Chlorophyll b-containing oxygenic photosynthetic prokaryotes: Oxychlorobacteria (Prochlorophytes). *Botanical Review* **72**, 330–366.
- Grossmann, S. (1994) Bacterial activity in sea ice and open waters of the Weddell Sea, Antarctica: a microautoradiographic study. *Microbial Ecology* **28**, 1–18.
- Grossmann, S. and Dieckmann, G.S. (1994) Bacterial standing stock, activity, and carbon production during formation and growth of sea ice in the Weddell Sea, Antarctica. *Applied Environmental Microbiology* **60**, 2746–2753.
- Grzymalski, J.J., Carter, B.J., Delong, E.F., Feldman, R.A., Ghadiri, A., and Murray, A.E. (2006) Comparative genomics of DNA fragments from six Antarctic marine planktonic bacteria. *Applied Environmental Microbiology* **72**, 1532–1541.
- Guillard, R.R.L. and Kilham, P. (1977) The ecology of marine planktonic diatoms. In Werner, D. (ed.), *The Biology of Diatoms*, pp. 372–469. Blackwell Scientific Publications, Oxford.
- Gulliksen, B. and Lønne, O.J. (1989) Distribution, abundance, and ecological importance of marine sympagic fauna in the Arctic. *Rapports et Process-Verbaux des Réunions. Conseil Permanent International pour l'Exploration de la Mer* **188**, 133–138.
- Günther, S. and Dieckmann, G.S. (1999) Seasonal development of algal biomass in snow-covered fast ice and the underlying platelet layer in the Weddell Sea, Antarctica. *Antarctic Science* **11**, 305–315.
- Gutt, J. (1995) The occurrence of sub-ice algal aggregations off northeast Greenland. *Polar Biology* **15**, 247–252.
- Gutt, J. (2000) Some 'driving forces' structuring communities of the sublittoral Antarctic macrobenthos. *Antarctic Science* **12**, 297–313.
- Gutt, J. (2001) On the direct impact of ice on marine benthic communities, a review. *Polar Biology* **24**, 553–564.
- Gutt, J. (2007) Antarctic macro-zoobenthic communities: a review and an ecological classification. *Antarctic Science* **19**, 165–182.
- Gutt, J. and Starmans, A. (1998) Structure and biodiversity of megabenthos in the Weddell Antarctica and Lazarev Seas (Antarctica): ecological role of physical parameters and biological interactions. *Polar Biology* **20**, 229–247.
- Haas, C. (2004) Late-summer sea ice thickness variability in the Arctic Transpolar Drift 1991–2001 derived from ground-based electromagnetic sounding. *Geophysical Research Letters* **31**, L09402, doi:10.1029/2003GL019394.
- Haas, C., Thomas, D.N., and Bareiss, J. (2001) Surface properties and processes of perennial Antarctic sea ice in summer. *Journal of Glaciology* **47**, 613–625.

- Haave, M., Ropstad, E., Derocher, A.E., Lie, E., Dahl, E., Wiig, O., Skaare, J.U., and Jenssen, B.M. (2003) Polychlorinated biphenyls and reproductive hormones in female polar bears at Svalbard. *Environmental Health Perspectives* **111**, 431–436.
- Hall, C.M. and Johnston, M.E. (eds) (1995) *Polar Tourism: Tourism in the Arctic and Antarctic Regions*. John Wiley, Chichester.
- Halliday, G. (2002) The British flora in the Arctic. *Watsonia* **24**, 133–144.
- Hanalt, D., Wiencke, C., and Bischoff, K. (2007) Effects of UV-radiation on seaweeds. In Ørboek, J.B. (ed) *Arctic Alpine Ecosystems and People in a Changing Environment*. Springer, Berlin, 250–277.
- Hart, I. (2006) *Whaling in the Falkland Islands Dependencies 1904–1931*. Pequena, Newton St Margaret.
- Hawes, I. (1985) Light climate and phytoplankton photosynthesis in maritime Antarctic lakes. *Hydrobiologia* **123**, 69–79.
- Hawes, I. (1993) Photosynthesis in thick cyanobacterial films: a comparison of annual and perennial antarctic mat communities. *Hydrobiologia* **252**, 203–209.
- Hawes, I. and Howard-Williams, C. (1998) Primary production processes in streams of the McMurdo Dry Valleys, Antarctica. In Prisco, J.C. (ed.), *Ecosystem Dynamics in a Polar Desert, the McMurdo Dry Valleys, Antarctica*, pp. 129–140. American Geophysical Union, Washington DC.
- Hawes, I., Howard-Williams, C., and Vincent, W.F. (1992) Desiccation and recovery of Antarctic cyanobacterial mats. *Polar Biology* **12**, 587–594.
- Hawes, I.S., Howard-Williams, C., and Schwarz, A.-M. (1999) Environmental conditions during freezing, and response of microbial mats in ponds of the McMurdo Ice Shelf, Antarctica. *Antarctic Science* **11**, 198–208.
- Hayes, P.K., Whitaker, T.M., and Fogg, G.E. (1984) The distribution and nutrient status of phytoplankton in the Southern Ocean between 20° and 70° W. *Polar Biology* **3**, 153–165.
- Headland, R.K. (1984) *The Island of South Georgia*. Cambridge University Press, Cambridge.
- Hegseth, E.N. (1992) Sub-ice algal assemblages of the Barents Sea: species composition, chemical composition, and growth rates. *Polar Biology* **12**, 485–496.
- Heide-Jørgensen, H.S. and Kristensen, R.M. (1999) Puilassoq, the warmest homothermal spring of Disko Island. *Berichte zur Polarforschung* **330**, 32–43.
- Heide-Jørgensen, M.P., Dietz, R., Laidre, K.L., and Richard, P. (2002) Autumn movements, home ranges, and winter density of narwhals (*Monodon monoceros*) tagged in Tremblay Sound, Baffin Island. *Polar Biology* **25**, 331–341.
- Helbing, E.W., Marguet, E.R., Villafañe, V.E., and Holm-Hansen, O. (1995) Bacterioplankton viability in Antarctic waters as affected by solar ultraviolet radiation. *Marine Ecology Progress Series* **126**, 293–298.
- Helmke, E. and Weyland, H. (1995) Bacteria in sea ice and underlying water of the eastern Weddell Sea in midwinter. *Marine Ecology Progress Series* **117**, 269–287.
- Hempel, G. (2007) Antarctic marine biology—two centuries of research. *Antarctic Science* **19**, 157–164.
- Hense, I., Timmermann, R., Beckmann, A., and Bathmann, U.V. (2003) Regional and interannual variability of ecosystem dynamics in the Southern Ocean. *Ocean Dynamics* **53**, 1–10.
- Henshaw, T. and Laybourn-Parry, J. (2002) The annual patterns of photosynthesis in two large, freshwater, ultra-oligotrophic Antarctic lakes. *Polar Biology* **25**, 744–752.

- Hernandez, E.A., Ferreyra, G.A., and MacCormack, W.P. (2006) Response of two Antarctic marine bacteria to different natural UV radiation doses and wavelengths. *Antarctic Science*, 18, 205–212.
- Hernando, M., Carreto, J.I., Carignan, M.O., Ferreyra, G.A., and Gross, C. (2002) Effects of solar radiation on growth and mycosporine-like amino acids content in *Thalassiosira* sp, an Antarctic diatom. *Polar Biology* 25, 12–20.
- Hiruki, L.M., Schwartz, M.K., and Boveng, P.L. (1999) Hunting and social behaviour of leopard seals (*Hydrurga leptonyx*) at Seal Island, South Shetland Islands, Antarctica. *Journal of Zoology* 249, 97–109.
- Hobbie, J.E., Bahr, M., and Rublee, P.A. (1999) Controls on microbial food webs in oligotrophic arctic lakes. *Arch Hydrobiologia, Special Issue Advances in Limnology* 54, 61–76.
- Hodgson, D.A., Doran, P.T., Roberts, D., and McMinn, A. (2004) Palaeolimnological studies from the Antarctic and sub-Antarctic islands. In Pienitz, R., Douglas, M.S.V., and Smol, J.P. (eds), *Long-term Environmental Change in Arctic and Antarctic Lakes*, pp. 419–474. Springer, Berlin.
- Hodkinson, I.D., Webb, N.R., and Coulson, S.J. (2002) Primary community assembly on land—the missing stages: why are the heterotrophic organisms always there first? *Journal of Ecology* 90, 569–577.
- Hoel, A.H. and Viljamsson, H. (2005) Commercial fisheries. In Nuttall, M. (ed.), *Encyclopedia of the Arctic*, pp. 635–641. Routledge, New York.
- Hoffecker, J. (2004) *A Prehistory of the North: Human Settlement of the Higher Latitudes*. Rutgers University Press, New Brunswick, NJ.
- Hofmann, E.E. and Lascara, C.M. (2000) Modeling the growth dynamics of Antarctic krill *Euphausia superba*. *Marine Ecology Progress Series* 194, 219–231.
- Hofmann, E.E. and Murphy, E.J. (2004) Advection, krill and Antarctic marine ecosystems. *Antarctic Science* 16, 487–500.
- Hogg, I.D., Cary, S.C., Convey, P., Newsham, K.K., O'Donnell, A.G., Adams, B.J. et al. (2006) Biotic interactions in Antarctic terrestrial ecosystems: are they a factor? *Soil Biology and Biochemistry* 38, 3035–3040.
- Hoham, R.W. (1980) Unicellular chlorophytes—snow algae. In Cox, E. (ed.), *Phytoflagellates*, pp. 61–84. Elsevier North Holland, New York.
- Hoham, R.W. and Duval, B. (2001) Microbial ecology of snow and freshwater ice with emphasis on snow algae. In Jones, H.G., Pomeroy, J.W., Walker, D.A., and Hoham, R.W. (eds), *Snow Ecology: an Interdisciplinary Examination of Snow-covered Ecosystems*, pp. 168–228. Cambridge University Press, Cambridge.
- Hoham, R.W., Schlag, E.M., Kang, J.Y., Hasselwander, A.J., Behrstock, A.F., Blackburn, I.R. et al. (1998) The effect of irradiance levels and spectral composition on mating strategies in the snow alga, *Chloromonas* sp.—D, from the Tughill Plateau, New York State. *Hydrological Processes* 12, 1627–1639.
- Holland, D.M. (2001) Explaining the Weddell polynya—a large ocean eddy shed at Maud Rise. *Science* 292, 1697–1700.
- Hooker, J.D. (1847) *The Botany of the Antarctic voyage of H.M. Discovery Ships Erebus and Terror in the Years 1838–1843. Part 1: Flora Antarctica*. Reeve Brothers, London.
- Horner, R.A. (1985) *Sea Ice Biota*. CRC Press, Boca Raton, FL.
- Howard-Williams, C., Pridmore, R., Downes, M.T., and Vincent, W.F. (1989) Microbial biomass, photosynthesis and chlorophyll-a related pigments in the ponds of the McMurdo Ice Shelf, Antarctica. *Antarctic Science* 1, 125–131.

- Howard-Williams, C., Schwarz A-M and Hawes, I. (1998) Optical properties of the McMurdo Dry Valley lakes, Antarctica. In Prisco, J.C. (ed.), *Ecosystem Dynamics in a Polar Desert, the McMurdo Dry Valleys, Antarctica*, pp. 154–189. American Geophysical Union, Washington DC.
- Hughes, K.A. and Lawley, B. (2003) A novel Antarctic microbial endolithic community within gypsum crusts. *Environmental Microbiology* **5**, 555–565.
- Huntley, B. (1991) How plants respond to climate change: migration rates, individualism and the consequences for plant communities. *Annals of Botany* **67**, 15–22.
- Huntley, M.E., Nordhausen, W., and Lopez, M.D.G. (1994) Elemental composition, metabolic-activity and growth of Antarctic krill *Euphausia superba* during winter. *Marine Ecology Progress Series* **107**, 23–40.
- Hutchinson, G.E. (1957) *A Treatise on Limnology*, vol. 1. Wiley, New York.
- Ikävalko, J. and Gradinger, R. (1997) Flagellates and heliozoans in the Greenland Sea ice studied alive using light microscopy. *Polar Biology* **17**, 473–481.
- Ikävalko, J. and Thomsen, H.A. (1997) The Baltic Sea ice biota (March 1994): A study of the protistan community. *European Journal of Protistology* **33**, 229–243.
- Ingold, T. (1980) *Hunters, Pastoralists and Ranchers: Reindeer Economies and their Transformations*. Cambridge University Press, Cambridge.
- Inman, M. (2007) The dark and mushy side of a frozen continent. *Science* **317**, 35–36.
- Isla, E., Rossi, S., Palanques, A., Gili, J.M., Gerdes, D., and Arntz, W.E. (2006) Biochemical composition of marine sediments from the eastern Weddell Sea (Antarctica): High nutritive value in a high benthic-biomass environment. *Journal of Marine Systems* **60**, 255–267.
- Jacobs, S.S. (2004) Bottom water production and its links with the thermohaline circulation. *Antarctic Science* **16**, 427–437.
- James, M.R., Pridmore, R.D., and Cummings, V.J. (1995) Planktonic communities of melt ponds on the McMurdo Ice Shelf, Antarctica. *Polar Biology* **15**, 555–567.
- Janech, M.G., Krell, A., Mock, T., Kang, J.-S., and Raymond, J.A. (2006) Ice-binding proteins from sea ice diatoms (Bacillariophyceae). *Journal of Phycology* **42**, 410–416.
- Janssen, H.H. and Gradinger, R. (1999) Turbellaria (Archoophora: Acoela) from Antarctic sea ice endofauna—examination of their micromorphology. *Polar Biology* **21**, 410–416.
- Jarman, S., Elliott, N., Nicol, S., McMinn, A., and Newman S. (1999) The base composition of the krill genome and its potential susceptibility to damage by UV-B. *Antarctic Science* **11**, 23–26.
- Jeffrey, W.H. and Mitchell, D.L. (2001), Measurement of UVB induced DNA damage in marine planktonic communities. In Paul, J. (ed.), *Methods in Marine Microbiology*, pp. 469–488. Academic Press, New York.
- Jensen, D.B. and Christensen, K.D. (eds) (2003) *The Biodiversity of Greenland—a Country Study*. Technical report 55. Grønlands Naturinstitut, Nuuk.
- Jin, M., Deal, C., Wang, J., Alexander, V., Gradinger, R., Saitoh, S. *et al.* (2007) Ice-associated phytoplankton blooms in the southeastern Bering Sea. *Geophysical Research Letters* **34**, L06612.

- Jokat, W., Ritzmann, O., Schmidt-Aursch, M.C., Drachev, S., Gauger, S., and Snow, J. (2003) Geophysical evidence for reduced melt production on the Arctic ultraslow Gakkel mid-ocean ridge. *Nature* **423**, 962–965.
- Johannessen, O.M., Bengtsson, L., Miles, M.W., Kuzmina, S.I., Semenov, V.A., Alekseev, G.V. *et al.* (2004) Arctic climate change: observed and modelled temperature and sea-ice variability. *Tellus (A)* **56**, 328–341.
- Johansen, S. (1998) The origin and age of driftwood on Jan Mayen. *Polar Research* **17**, 125–146.
- Jones, A.E. and Shanklin, J.D. (1995) Continued decline of total ozone over Halley, Antarctica, since 1985. *Nature* **376**, 409–411.
- Junge, K., Imhoff, F., Staley, T., and Deming, J.W. (2002) Phylogenetic diversity of numerically important Arctic sea-ice bacteria at subzero temperature. *Microbial Ecology* **43**, 315–328.
- Junge, K., Eicken, H., and Deming, J.W. (2004) Bacterial activity at –2 to –20°C in Arctic wintertime sea ice. *Applied and Environmental Microbiology* **70**, 550–557.
- Kain, J.M. (1989) The seasons in the subtidal. *British Phycological Journal* **24**, 203–215.
- Kallio, P. and Valanne, N. (1975) On the effects of continuous light on photosynthesis in mosses. In Wielgolaski, F.E. (ed.), *Fennoscandian Tundra Ecosystems. Part 1: Plants and Microorganisms*, pp. 149–162. Springer, New York.
- Kappen, L. and Straka, H. (1988) Pollen and spores transport into the Antarctic. *Polar Biology* **8**, 173–180.
- Karentz, D. (1991) Ecological considerations of Antarctic ozone depletion. *Antarctic Science* **3**, 3–11.
- Karl, D.M., Bird, D.F., Bjorkman, K., Houlihan, T., Shackelford, R., and Tupas, L. (1999) Microorganisms in the accreted ice of Lake Vostok, Antarctica. *Science* **286**, 2144–2147.
- Kattner, G., Thomas, D.N., Haas, C., Kennedy, H.A., and Dieckmann, G.S. (2004) Surface ice and gap layers in Antarctic sea ice: highly productive habitats. *Marine Ecology Progress Series* **277**, 1–12.
- Kennedy, A.D. (1993) Water as a limiting factor in the Antarctic terrestrial environment: a biogeographical synthesis. *Arctic and Alpine Research* **25**, 308–315.
- Kennedy, A.D. (1995) Simulated climate change: are passive greenhouses a valid microcosm for testing the biological effects of environmental perturbations? *Global Change Biology* **1**, 29–42.
- Kennedy, H., Thomas, D.N., Kattner, G., Haas, C., and Dieckmann, G.S. (2002) Particulate organic carbon in Antarctic summer sea ice: Concentration and stable carbon isotopic composition. *Marine Ecology Progress Series* **238**, 1–13.
- Kepner, R.L., Wharton, R.A., and Coats, D.W. (1999) Ciliated protozoa of two Antarctic lakes: analysis by qualitative protargol staining and examination of artificial substrates. *Polar Biology* **21**, 285–294.
- Kerry, K.R. and Hempel, G. (eds) (1990) *Antarctic Ecosystems. Ecological Change and Conservation*. Springer, Berlin.
- King, J.E. (1983) *Seals of the World*, 2nd edn. British Museum (Natural History) and Oxford University Press, Oxford.
- Kirchman, D.L., Dittel, A.L., Malmstrom, R.R., and Cottrell, M.T. (2005) Biogeography of major bacterial groups in the Delaware estuary. *Limnology and Oceanography* **50**, 1697–1706.

- Kirk, J.T.O. (1994) *Light and Photosynthesis in Aquatic Ecosystems*, 2nd edn. Cambridge University Press, Cambridge.
- Kirst, G.O. and Wiencke, C. (1995) Ecophysiology of polar algae. *Journal of Phycology* **31**, 181–199.
- Kol, E. (1972) Snow algae from Signy Island (South Orkney Island, Antarctica). *Annales Historico-Naturales Musei Nationalis Hungarici* **64**, 63–70.
- Kol, E. and Euroala, S. (1974) Red snow algae from Spitsbergen. *Astarte* **7**, 61–66.
- Krajick, K. (2007) Race to plumb the frigid depths. *Science* **315**, 1525–1528.
- Krembs, C., Gradinger, R., and Spindler, M. (2000) Implications of brine channel geometry and surface area for the interaction of sympagic organisms in Arctic sea ice. *Journal of Experimental Marine Biology and Ecology* **243**, 55–80.
- Krembs, C., Eicken, H., Junge, K., and Deming, J.W. (2002) High concentrations of exopolymeric substances in Arctic winter sea ice: implications for the polar ocean carbon cycle and cryoprotection of diatoms. *Deep Sea Research Part I* **49**, 2163–2181.
- Laurion, I., Demers, S., and Vézina, A.F. (1995) The microbial food web associated with the ice algal assemblage: biomass and bacterivory of nanoflagellate protozoans in Resolute Passage (High Canadian Arctic). *Marine Ecology Progress Series* **120**, 77–87.
- Law, K.S. and Stohl, A. (2007) Arctic air pollution: origins and impacts. *Science* **315**, 1537–1540.
- Laws, R.M. (1977) The significance of vertebrates in the Antarctic marine ecosystem. In Llano, G.A. (ed.), *Adaptations Within Antarctic Ecosystems. Proceedings of the Third SCAR Symposium in Antarctic Biology*, pp. 411–438. Smithsonian Institution, Washington DC.
- Lawley, B., Ripley, S., Bridge, P., and Convey, P. (2004) Molecular analysis of geographic patterns of eukaryotic diversity in Antarctic soils. *Applied and Environmental Microbiology* **70**, 5963–5972.
- Lawson, J., Doran, P.T., Kenig, F., Des Marais, D.J., and Prsicu, J.C. (2004) Stable carbon and nitrogen isotopic composition of benthic and pelagic organic matter in lakes of the McMurdo Dry Valleys, Antarctica. *Aquatic Geochemistry* **10**, 269–301.
- Laybourn-Parry, J. (2002) Survival strategies in Antarctic lakes. *Philosophical Transactions of the Royal Society London Series B* **357**, 863–869.
- Laybourn-Parry, J. and Marshall, W.A. (2003) Photosynthesis, mixotrophy and microbial plankton dynamics in two high Arctic lakes during summer. *Polar Biology* **26**, 517–524.
- Laybourn-Parry, J. and Pearce, D.A. (2007) The biodiversity and ecology of Antarctic lakes—models for evolution. *Philosophical Transaction of the Royal Society London Series B* **362**, doi:10.1098/rstb.2006.1945.
- Laybourn-Parry, J., Marshall, W.A., and Marchant, H.J. (2005) Nutritional versatility as a key to survival in Antarctic phytoflagellates in two contrasting saline lakes. *Freshwater Biology* **50**, 830–838.
- Laybourn-Parry, J., Madan, N.J., Marshall, W.A., Marchant, H.J., and Wright, S.W. (2006) Carbon dynamics in an ultr-oligotrophic epishelf lake (Beaver Lake, Antarctica) in summer. *Freshwater Biology* **51**, 1116–1130.
- Le Romancer, M., Gaillard, M., Geslin, C., and Prieur, D. (2007) Viruses in extreme environments. *Reviews in Environmental Science and Biotechnology* **6**, 17–31.

- Lee, P.A., de Mora, S.J., Gosselin, M., Levasseur, M., Bouillon, R.-C., Nozais, C., and Michel, C. (2001) Particulate dimethylsulfoxide in Arctic sea-ice algal communities: the cryoprotectant hypothesis revisited. *Journal of Phycology* **37**, 488–499.
- Lee, R.F., Hagen, W., and Kattner, G. (2006) Lipid storage in marine zooplankton. *Marine Ecology Progress Series* **307**, 273–306.
- Lee, S.H. and Whitley, T.H. (2005) Primary and new production in the deep Canada Basin during summer 2002. *Polar Biology* **28**, 190–197.
- Legendre, L., Ackley, S.F., Dieckmann, G.S., Gulliksen, B., Horner, R., Hoshai, T. *et al.* (1992) Ecology of sea ice biota—2. Global significance. *Polar Biology* **12**, 429–444.
- Ling, H.U. and Seppelt, R.D. (1990) Snow algae of the Windmill Islands, continental Antarctica. *Mesotaenium berggrenii* (Zygnematales, Chlorophyta) the alga of grey snow. *Antarctic Science* **2**, 143–148.
- Lister, A., Block, W., and Usher, M.B. (1988) Arthropod predation in an Antarctic terrestrial community. *Journal of Animal Ecology* **57**, 957–971.
- Livingstone, D.A. (1963) Alaska, Yukon, Northwest Territories and Greenland. In Frey, D.G. (ed.), *Limnology in North America*, pp. 559–574. University of Wisconsin Press, Madison, WI.
- Lizotte, M.P. and Priscu, J.C. (1992) Photosynthesis-irradiance relationships in phytoplankton from three physically stable water column of a perennially ice-covered lake (Lake Bonney, Antarctica). *Journal of Phycology* **28**, 179–185.
- Lizotte, M.P., Sharp, T.R., and Priscu, J.C. (1996) Phytoplankton dynamics in the stratified water column of Lake Bonney, Antarctica. 1. Biomass and productivity during the winter-spring transition. *Polar Biology* **16**, 155–162.
- Loeb, V., Siegel, V., Holm-Hansen, O., Hewitt, R., Fraser, W., Tivelpiece, W., and Trivelpiece, S. (1997) Effects of sea-ice extent and krill or salp dominance on the Antarctic food web. *Nature* **387**, 897–900.
- Longton, R.E. (1988) *The Biology of Polar Bryophytes and Lichens*. Cambridge University Press, Cambridge.
- Lønne, O.J. and Gulliksen, B. (1991) On the distribution of sympagic macro-fauna in the seasonally ice covered Barents Sea. *Polar Biology* **11**, 457–469.
- Lorius, C. (1991) *Glaces de l'Antarctique: une mémoire, des passions*. Éditions Odile Jacob, Paris.
- Lovejoy, C., Massana, R., and Pedros-Alio, C. (2006) Diversity and distribution of marine microbial eukaryotes in the Arctic Ocean and adjacent Seas. *Applied and Environmental Microbiology* **72**, 3085–3095.
- Lunine, J.I. (2005) *Astrobiology—A Multidisciplinary Approach*. Pearson, Addison Wesley, San Francisco, CA.
- Lunn, N.J., Stirling, I., Andriashek, D., and Richardson, E. (2004) Selection of maternity dens by female polar bears in western Hudson Bay. *Polar Biology* **27**, 350–356.
- Lydersen, C. and Kovacs, K. (1999) Behaviour and energetics of ice-breeding, North Atlantic phocid seals during the lactation period. *Marine Ecology Progress Series* **187**, 265–281.
- Lyons, W.B., Tyler, S.W., Wharton, J.R., McKnight, D.M., and Vaughn, B.H. (1998) A late Holocene desiccation of Lake Hoare and Lake Fryxell, McMurdo Dry Valleys, Antarctica. *Antarctic Science* **10**, 247–256.

- Lyons, W.B., Frappe, S.K., and Welch, K.A. (1999) History of the McMurdo Dry Valley lakes, Antarctica, from stable chlorine isotope data. *Geology* **27**, 527–530.
- Mader, H.M. (1992) Observations of the water-vein system in polycrystalline ice. *Journal of Glaciology* **38**, 333–347.
- Malin, G. and Kirst, G.O. (1997) Algal production of dimethyl sulfide and its atmospheric role. *Journal of Phycology* **33**, 889–896.
- Mancuso-Nichols, C.A., Garon, S., Bowman, J., Raguénès, G., and Guezennec, J. (2004) Production of exopolysaccharides by Antarctic marine bacterial isolates. *Journal of Applied Microbiology* **96**, 1057–1066.
- Mancuso-Nichols, C.A., Guezennec, J., and Bowman, J.P. (2005) Bacterial exopolysaccharides from extreme marine environments, with special with special consideration of the Southern Ocean, sea ice and hydrothermal vents a review. *Marine Biotechnology* **7**, 253–271.
- Maranger, R., Bird D.F., and Juniper, S.K. (1994) Viral and bacterial dynamics in Arctic sea ice during the spring algal bloom near Resolute, NWT, Canada. *Marine Ecology Progress Series* **111**, 121–127.
- Marion, G.M., Fritsen, C.H., Eicken, H., and Payne, M.C. (2003) The search for life on Europa: Limiting environmental factors, potential habitats, and earth analogues. *Astrobiology* **3**, 785–811.
- Markager, S., Vincent, W.F., and Tang, E.P.Y. (1999) Carbon fixation by phytoplankton in high arctic lakes: implications of low temperature for photosynthesis. *Limnology and Oceanography* **44**, 597–607.
- Marshall, D.J. and Pugh, P.J.A. (1996) Origin of the inland Acari of continental Antarctica, with particular reference to Dronning Maud Land. *Zoological Journal of the Linnean Society* **118**, 101–118.
- Marshall, D.J. and Convey, P. (2004) Latitudinal variation in habitat specificity of ameronothroid mites. *Experimental and Applied Acarology* **34**, 21–35.
- Marshall, J., Kushnir, Y., Battisti, D., Chang, P., Czaja, A., Dickson, R. *et al.* (2001) North Atlantic climate variability; Phenomena, impacts and mechanisms. *International Journal of Climatology* **21**, 1863–1898.
- Marshall, W.A. (1996) Biological particles over Antarctica. *Nature* **383**, 680.
- Marshall, W. and Laybourn-Parry, J. (2002) The balance between photosynthesis and grazing in Antarctic mixotrophic cryptophytes. *Freshwater Biology* **47**, 2060–2070.
- Martin, A.R., Hall, P., and Richard, P.R. (2001) Dive behaviour of belugas (*Delphinapterus leucas*) in the shallow waters of western Hudson Bay. *Arctic* **54**, 276–283.
- Martin, J.H., Coale, K.H., Johnson, K.S., Fitzwater, S.E., Gordon, R.M., Tanner, S.J. *et al.* (2002) Testing the iron hypothesis in ecosystems of the equatorial Pacific Ocean. *Nature* **371**, 123–129.
- Maslen, N.R. and Convey, P. (2006) Nematode diversity and distribution in the southern maritime Antarctic—clues to history? *Soil Biology and Biochemistry* **38**, 3141–3151.
- Mathot, S., Dandois, J.-M., and Lancelot, C. (1992) Gross and net primary production in the Scotia–Weddell Sea sector of the Southern Ocean during spring 1988. *Polar Biology* **12**, 321–332.
- Matthews, J.A. (1992) *The Ecology of Recently-Deglaciated Terrain: a Geoecological Approach to Glacier Forelands and Primary Succession*. Cambridge University Press, Cambridge.

- McClintock, J.B. and Karentz, D. (1997) Mycosporine-like amino acids in 38 species of subtidal marine organisms from McMurdo Sound, Antarctica. *Antarctic Science* **9**, 392–398.
- McGhee, R. (2006) *The Last Imaginary Place: a Human History of the Arctic World*. Oxford University Press, Oxford.
- McKenna, K.C., Moorhead, D.L., Roberts, E.C., and Laybourn-Parry, J. (2006) Simulated patterns of carbon flow in the pelagic food web of Lake Fryxell, Antarctica: little evidence of top-down control. *Ecological Modelling* **192**, 457–472.
- McKnight, D.M., Alger, A., Tate, C.M., Shupe, G., and Spaulding, S.A. (1998) Longitudinal patterns in algal abundance and species distribution in meltwater streams in Taylor Valley, Southern Victoria Land, Antarctica. In Priscu, J.C. (ed.), *Ecosystem Dynamics in a Polar Desert, the McMurdo Dry Valleys, Antarctica*, pp. 109–128. American Geophysical Union, Washington DC.
- McMinn, A., Skerratt, J., Trull, T., Ashworth, C., and Lizotte, M.P. (1999) Nutrient stress gradient in the bottom 5 cm of fast ice, McMurdo Sound, Antarctica. *Polar Biology* **21**, 220–227.
- McMinn, A., Ashworth, C., and Ryan, K.G. (2000) In situ net primary productivity of an Antarctic fast ice bottom algal community. *Aquatic Microbial Ecology* **21**, 177–185.
- Medlin, L.K., Lange, M., and Baumann, M.E.M. (1994) Genetic differentiation among three-colony-forming species of *Phaeocystis* further evidence for the phylogeny of the Prymnesiophyta. *Phycologia* **33**, 199–212.
- Meiners, K., Brinkmeyer, R., Granskog, M.A., and Lindfors, A. (2004) Abundance, size distribution and bacterial colonization of exopolymer particles in Antarctic sea ice (Bellingshausen Sea). *Aquatic Microbial Ecology* **35**, 283–296.
- Meurk, C.D., Foggo, M.N., and Wilson, J.B. (1994) The vegetation of subantarctic Campbell Island. *New Zealand Journal of Ecology* **18**, 123–168.
- Michel, C., Nielsen, T.G., Nozais, C., and Gosselin, M. (2002) Significance of sedimentation and grazing by ice micro- and meiofauna for carbon cycling in annual sea ice (northern Baffin Bay). *Aquatic Microbial Ecology* **30**, 57–68.
- Mikucki, J.A., Foreman, C.M., Sattler, B., Lyons, W.B., and Priscu, J.C. (2004) Geomicrobiology of Blood Falls: an iron-rich saline discharge at the terminus of the Taylor Glacier, Antarctica. *Aquatic Geochemistry* **10**, 199–220.
- Mincks, S.L., Smith, C.R., and De Master, D.J. (2005) Persistence of labile organic matter and microbial biomass in Antarctic shelf sediments: evidence of a sediment ‘food bank’. *Marine Ecology Progress Series* **300**, 3–19.
- Mitchell, A.D., Meurk, C.D., and Wagstaff, S.J. (1999) Evolution of *Stilbocarpa*, a megaherb from New Zealand’s sub-antarctic islands. *New Zealand Journal of Botany* **37**, 205–211.
- Miteva, V.I., Sheridan, P.P., and Brenchley, J.E. (2004) Phylogenetic and physiological diversity of microorganisms isolated from a deep Greenland glacier ice core. *Applied Environmental Microbiology* **70**, 202–213.
- Moberg, A., Sonechkin, D.M., Holmgren, K., Datsenko, N.M., and Karlén, W. (2005) Highly variable Northern Hemisphere temperatures reconstructed from low- and high-resolution proxy data. *Nature* **433**, 613–617.
- Mock, T. (2002) In situ primary production in young Antarctic sea ice. *Hydrobiologia* **470**, 127–132.

- Mock, T. and Thomas, D.N. (2005) Sea ice—recent advances in microbial studies. *Environmental Microbiology* **7**, 605–619.
- Molau, U. and Molgaard, P. (1996) *ITEX Manual*, 2nd edn. Danish Polar Center, Copenhagen.
- Moline, M.A., Claustre, H., Frazer, T.K., Schofield, O., and Vernet, M. (2004) Alteration of the food web along the Antarctic Peninsula in response to a regional warming trend. *Global Change Biology* **10**, 1973–1980.
- Monaghan, A.J., Bromwich, D.H., Fogt, R.L., Wang, S.-H., Mayewski, P.A., Dixon, D.A. *et al.* (2006) Insignificant change in Antarctic snowfall since the International Geophysical Year. *Science* **313**, 827–831.
- Moore, J.K. and Abbott, M.R. (2000) Phytoplankton chlorophyll distributions and primary production in the Southern Ocean. *Journal of Geophysical Research* **105**, 28709–28722.
- Moran, D.M., Anderson, O.R., Dennett, M.R., Caron, D.A., and Gast, R.J. (2007) A description of seven Antarctic marine Gymnamoebae including a new subspecies, two new species and a new genus: *Neoparamoeba aestuarina antarctica* n. subsp., *Platymoeba oblongata* n. sp., *Platymoeba contorta* n. sp. and *Vermistella antarctica* n. gen. n. sp. *The Journal of Eukaryotic Microbiology* **54**, 169–183.
- Mortimer, E. and Jansen van Vuuren, B. (2006) Phylogeography of *Eupodes minutus* (Acari: Prostigmata) on sub-Antarctic Marion Island reflects the impact of historical events. *Polar Biology* doi:10.1007/s00300-006-0205-7.
- Mostajir, B., Gosselin, M., Gratton, Y., Booth, B., Vasseur, C., Garneau, M.V. *et al.* (2001) Surface water distribution of pico- and nanophytoplankton in relation to two distinctive water masses in the North Water, northern Baffin Bay, during fall. *Aquatic Microbial Ecology* **23**, 205–212.
- Mountfort, D.O., Kaspar, H.F., Downes, M., and Asher, R.A. (1999) Partitioning effects during terminal carbon and electron flow in sediments of a low-salinity meltwater pond near Bratina Island, McMurdo ice shelf, Antarctica. *Applied and Environmental Microbiology* **65**, 5493–5499.
- Mueller, D. (2001) *A Bipolar Comparison of Glacial Cryoconite Ecosystems*. McGill University, Montreal.
- Mueller, D.R. and Pollard, W.H. (2004) Gradient analysis of cryoconite ecosystems from two polar glaciers. *Polar Biology* **27**, 66–74.
- Müller, C.H. (1952) Plant succession in Arctic heath and tundra in northern Scandinavia. *Bulletin of the Torrey Botanical Club* **79**, 296–309.
- Müller, T., Bleiß, W., Martin, C.-D., Rogaschewski, S., and Fuhr, G. (1998) Snow algae from northwest Svalbard: their identification, distribution, pigment and nutrient content. *Polar Biology* **20**, 14–32.
- Muñoz, J., Felicísimo, A.M., Cabezas, F., Burgaz, A.R., and Martínez, I. (2004) Wind as a long-distance dispersal vehicle in the Southern Hemisphere. *Science* **304**, 1144–1147.
- Murphy, E.J., Clarke, A., Symon, C., and Priddle, J. (1995) Temporal variation in Antarctic sea-ice: analysis of a long-term fast-ice record from the South Orkney Islands. *Deep-Sea Research* **42**, 1045–1062.
- Murphy, E.J., Boyd, P.W., Leakey, R.J.G., Atkinson, A., Edwards, E.S., Robinson, C. *et al.* (1998) Carbon flux in ice-ocean-plankton systems of the Bellingshausen Sea during a period of ice retreat. *Journal of Marine Systems* **17**, 207–227.

- Nansen, F. (1897) *Farthest North: Being a Record of a Voyage of Exploration of the Ship 'Fram' 1893–96 and of a Fifteen Months's Sleigh Journey*. Westminster Archibald Constable and Co. London.
- Newman, S.J., Dunlap, W.C., Nicol, S., and Ritz, D. (2000) Antarctic krill (*Euphausia superba*) acquire a UV-absorbing mycosporine-like amino acid from dietary algae. *Journal of Experimental Marine Biology and Ecology* **255**, 93–110.
- Nghiem, S.V., Chao, Y., Neumann, G., Li, P., Perovich, D.K., Street, T., and Clemente-Colon, P. (2006) Depletion of perennial sea ice in the East Arctic Ocean. *Geophysical Research Letters* **33**, L17501.
- Nicol, S. (2006) Krill, currents, and sea ice: *Euphausia superba* and its changing environment. *BioScience* **56**, 111–120.
- Nichols, D.S. (2003) Prokaryotes and the input of polyunsaturated fatty acids to the marine food web. *FEMS Microbiology Letters* **219**, 1–7.
- Nichols, D.S., Nichols, P.D., and McKeen, T.A. (1995) Ecology and physiology of psychrophilic bacteria from Antarctic saline lakes and sea ice. *Science Progress* **78**, 311–347.
- O'Brien, W.J., Hershey, A.E., Hobbie, J.E., Hullar, M.A., Kipphut, G.W., Miller, M.C. *et al.* (1992) Control mechanisms of arctic lake ecosystems: a limnocorral experiment. *Hydrobiologia* **240**, 143–188.
- O'Brien, W.J., Bahr, M., Hershey, A.E., Hobbie, J.E., Kipphut, G.W., Kling, H. *et al.* (1997) The limnology of Toolik Lake. In Milner, A.M. and Oswood, M.W. (eds), *Freshwaters of Alaska Ecological Synthesis*. Springer, New York.
- Oppenheimer, M. and Alley, R.B. (2005) Ice sheets, global warming, and article 2 of the UNFCCC. *Climatic Change* **68**, 257–267.
- Orejas, C., Gili, J.M., Arntz, W.E., Ros, J.D., López-González, P., Teixidó, N., and Pinto, P. (2000) Benthic suspension feeders, key players in Antarctic marine ecosystems. *Contributions to Science* **1**, 299–311.
- Orejas, C., Gili, J.M., and Arntz, W.E. (2003) The role of small-plankton communities in the diet of two Antarctic octocorals (*Primnoisis antarctica* and *Primnoella* sp.). *Marine Ecology Progress Series* **250**, 105–116.
- Palmisano, A.C. and Sullivan, C.W. (1985) Pathways of photosynthetic carbon assimilation in sea-ice microalgae from McMurdo Sound, Antarctica. *Limnology and Oceanography* **30**, 674–678.
- Papadimitriou, S., Thomas, D.N., Kennedy, H., Haas, C., Kuosa, H., Krell, A., and Dieckmann, G.S. (2007) Biogeochemical composition of natural sea ice brines from the Weddell Sea during early austral summer. *Limnology and Oceanography* **52**, 1809–1823.
- Parkinson, C.L. (2004) Southern Ocean sea ice and its wider linkages: insights revealed from models and observations. *Antarctic Science* **16**, 387–400.
- Pearse, J.S. (1994) Cold-water echinoderms break Thorson's rule. In Young, C.M. and Eckelbarger, K.J. (eds), *Reproduction, Larval Biology, and Recruitment of the Deep-Sea Benthos*, pp. 26–39. Columbia University Press, New York.
- Peat, H.J., Clarke, A., and Convey, P. (2007) Diversity and biogeography of the Antarctic flora. *Journal of Biogeography* **34**, 132–146.
- Peck, L.S., Convey, P., and Barnes, D.K.A. (2006) Environmental constraints on life histories in Antarctic ecosystems: tempos, timings and predictability. *Biological Reviews* **81**, 75–109.

- Perovich, D.K., Grenfell, T.C., Light, B., and Hobbs, P.V. (2002) The seasonal evolution of Arctic sea ice albedo. *Journal of Geophysical Research* doi:10.1029/2000JC000438.
- Petit, J.R., Alekhina, I., and Bulat, S.A. (2005) Lake Vostok, Antarctica: exploring a subglacial environment and searching life in an extreme environment. In Gargaud, M., Barbier, B., Martin, H., and Reisse, J. (eds), *Lessons for Exobiology*. pp. 227–288. Springer, Berlin.
- Petz, W., Song, W., and Wilbert, N. (1995) Taxonomy and ecology of the ciliate fauna (Protozoa, Ciliophora) in the endopagial and pelagial of the Weddell Sea, Antarctica. *Stapfia* **40**, 1–223.
- Piepenburg, D. (2000) Arctic brittle stars (Echinodermata: Ophiuroidea). *Oceanography and Marine Biology: an Annual Review* **38**, 189–256.
- Piepenburg, D. (2005) Recent research on Arctic benthos: common notions need to be revised. *Polar Biology* **28**, 733–755.
- Plettner, I. (2002) *Stressphysiologie bei antarktischen Diatomeen: Ökophysiologische Untersuchungen zur Bedeutung von Prolin bei der Anpassung an hohe Salinitäten und tiefe Temperaturen*. <http://elib.suub.uni-bremen.de/publications/dissertations/E-diss445-plettner.pdf>. Dissertation, University of Bremen.
- Plötz, J., Bornemann, H., Knust, R., Schroder, A., and Bester, M. (2001) Foraging behaviour of Weddell seals, and its ecological implications. *Polar Biology* **24**, 901–909.
- Pomeroy, L.R. and Wiebe, W.J. (2001) Temperature and substrates as interactive limiting factors for marine heterotrophic bacteria. *Aquatic Microbial Ecology* **23**, 187–204.
- Pisek, A. (1960) Pflanzen der Arktis und des Hochgebirges. In Pirson, A. (ed.), *Encyclopedia of Plant Physiology*, pp. 376–414. Springer, Berlin.
- Podgorny, I.A. and Grenfell, T.C. (1996) Absorption of solar energy in a cryoconite hole. *Geophysical Research Letters* **23**, 2465–2468.
- Porazinska, D.L., Fountain, A.G., Nylén, T.H., Tranter, M., Virginia, R.A., and Wall, D.H. (2004) The Biodiversity and biogeochemistry of cryoconite holes from McMurdo Dry Valley glaciers, Antarctica. *Arctic Antarctic and Alpine Research* **36**, 84–91.
- Prézelin, B., Moline, M.A., and Matlick, H.A. (1998) ICECOLORS '93: Spectral UV radiation effects on Antarctic frazil ice algae. *Antarctic Research Series* **73**, 45–83.
- Price, P.B. (2000) A habitat for psychrophiles in deep Antarctic ice. *Proceedings of the National Academy of Sciences USA* **97**, 1247–1251.
- Price, P.B. and Sowers, T. (2004) Temperature dependence of metabolic rates for microbial growth, maintenance, and survival. *Proceedings of the National Academy of Sciences USA* **101**, 4631–4636.
- Priscu, J.C. (2003) An international plan for Antarctic subglacial lake exploration. *Polar Geography* **27**, 69–83.
- Priscu, J.C. and Christner, B.C. (2004) Earth's icy biosphere. In Bull, A.T. (ed.), *Microbial Diversity and Bioprospecting*, pp. 130–145. American Society for Microbiology, Washington DC.
- Priscu, J.C., Fritsen, C.H., Adams, E.E., Giovannoni, S.J., Paerl, H.W., McKay, C.P. et al. (1998) Perennial Antarctic lake ice: an oasis for life in a polar desert. *Science* **280**, 2095–2098.

- Priscu, J.C., Adams, E.E., Lyons, W.B., Voytek, M.A., Mogk, D.W., Brown, R.L. *et al.* (1999) Geomicrobiology of subglacial ice above Lake Vostok, Antarctica. *Science* **286**, 2141–2144.
- Pugh, P.J.A. (1997) Spiracle structure in ticks (Ixodida: Anactinotrichida: Arachnida): resume, taxonomic and functional significance. *Biological Reviews* **72**, 549–564.
- Pugh, P.J.A. (2003) Have mites (Acarina: Arachnida) colonized Antarctica and the islands of the Southern Ocean via air currents? *Polar Record* **39**, 239–244.
- Quayle, W.C., Peck, L.S., Peat, H., Ellis-Evans, J.C., and Harrigan, P.R. (2002) Extreme responses to climate change in Antarctic lakes. *Science* **295**, 645.
- Quetin, L.B. and Ross, R.M. (1991) Behavioural and physiological characteristics of the Antarctic krill, *Euphausia superba*. *American Zoologist* **31**, 49–63.
- Quetin, L.B., Ross, R.M., Frazer, T.K., and Haberman, K.L. (1996) Factors affecting distribution and abundance of zooplankton, with an emphasis on Antarctic krill, *Euphausia superba*. *Antarctic Research Series* **70**, 357–371.
- Raven, J.A. (1984) *Energetics and Transport in Aquatic Plants*. AR Liss, New York.
- Raymond, J.A. (2000) Distribution and partial characterisation of ice-active molecules associated with sea ice diatoms. *Polar Biology* **23**, 721–729.
- Raymond, J.A. and Knight, C.A. (2003) Ice binding, recrystallization inhibition, and cryoprotective properties of ice-active substances associated with Antarctic sea ice diatoms. *Cryobiology* **46**, 174–181.
- Reay, D.S., Nedwell, D.B., Priddle, J., and Ellis-Evans, J.C. (1999) Temperature dependence of inorganic nitrogen uptake: reduced affinity for nitrate at sub-optimal temperatures in both algae and bacteria. *Applied and Environmental Microbiology* **65**, 2577–2584.
- Rees, W.G. (1993) A new wind-chill nomogram. *Polar Record* **29**, 229–234.
- Remias, D., Lutz-Meindl, U., and Lutz, C. (2005) Photosynthesis, pigments and ultrastructure of the alpine snow alga *Chlamydomonas nivalis*. *European Journal of Phycology* **40**, 259–268.
- Reynolds, C.S. (1992) The role of fluid motion in the dynamics of phytoplankton in lakes and rivers. In Giller, P.S., Hildrew, A.G., and Raffaelli, D.G. (eds), *Aquatic Ecology Scale, Patterns and Process*, pp. 141–187. Blackwell Scientific Publications, London.
- Reynolds, J.F. and Tenhunen, J.D. (eds) (1996) *Landscape function and disturbance in Arctic tundra*. Springer, Berlin.
- Richard, P.R., Martin, A.R., and Orr, J.R. (2001) Summer and autumn movements of Belugas of the Eastern Beaufort Sea Stock. *Arctic* **54**, 223–236.
- Riebesell, U., Schloss, I., and Smetacek, V. (1991) Aggregation of algae released from melting sea ice: implications for seeding and sedimentation. *Polar Biology* **11**, 239–248.
- Riegger, L. and Robinson, D. (1997) Photoinduction of UV-absorbing compounds in Antarctic diatoms and *Phaeocystis antarctica*. *Marine Ecology Progress Series* **160**, 13–25.
- Riemann, F. and Sime-Ngando, T. (1997) Note on sea ice nematodes (Monhyseroidea) from Resolute Passage, Canadian High Arctic. *Polar Biology* **18**, 70–75.
- Rivkin, R.B. and Putt, M. (1987) Heterotrophy and photoheterotrophy by Antarctic microalgae: Light-dependent incorporation of amino acids and glucose. *Journal of Phycology* **23**, 442–452.

- Roberts, E.C. and Laybourn-Parry, J. (1999) Mixotrophic cryptophytes and their predators in the Dry Valley lakes of Antarctica. *Freshwater Biology* **41**, 737–746.
- Roberts, E.C., Priscu, J.C., Wolf, C., Lyons, W.B., and Laybourn-Parry, J. (2004a) The distribution of microplankton in the McMurdo Dry valley lakes, Antarctica: response to ecosystem legacy or present-day climatic controls. *Polar Biology* **27**, 238–250.
- Roberts, E.C., Priscu, J.C., and Laybourn-Parry, J. (2004b) Microplankton dynamics in a perennially ice-covered Antarctic Lake—Lake Hoare. *Freshwater Biology* **49**, 853–869.
- Røen, U. (1994) A theory for the origin of the Arctic freshwater fauna. *Verhandlungen der Internationale Vereinigung für Limnologie* **25**, 2409–2412.
- Rønning, O.I. (1996) *The Flora of Svalbard*. Norsk Polarinstitut, Oslo.
- Rosswall, T. and Heal, O.W. (eds) (1975) *Structure and Function of Tundra Ecosystems*. Swedish Natural Science Research Council, Stockholm.
- Rothrock, D.A. and Zhang, J. (2005) Arctic Ocean sea ice volume: what explains its recent depletion? *Journal of Geophysical Research—Oceans* **110**, C01002.
- Ryan, P.G. and Watkins, B.P. (1989) The influence of physical factors and ornithogenic products on plant and arthropod abundance at an inland nunatak group in Antarctica. *Polar Biology* **10**, 151–160.
- Sage, B. (1986) *The Arctic and its Wildlife*. Croom Helm, London.
- Sakshaug, E. (2004) Primary and secondary production in the Arctic seas. In, R. Stein and, R.W. Macdonald, (eds), *The Organic Carbon Cycle in the Arctic Ocean*, pp. 57–81. Springer, New York.
- Sambrotto, R.N., Goering, J.J., and McRoy, C.P. (1984) Large yearly production of phytoplankton in western Bering Strait. *Science* **225**, 1147–1150.
- Sarmiento, J.L., Gruber, N., Brzezinski, M., and Dunne, J.P. (2004) High-latitude controls of thermocline nutrients and low latitude biological productivity. *Nature* **427**, 56–60.
- Sävström, C., Laybourn-Parry, J., Granéli, W., and Anesio, A.M. (2007) Heterotrophic bacterial and viral dynamics in Arctic Freshwaters: Results from a field study of nutrient temperature—manipulation experiments. *Polar Biology*, **30** 1407–1416.
- Scharek, R. and Nöthig, E.M. (1995) Das einzellige Plankton im Ozean der Arktis und Antarktis. In Hempel, G. (ed.), *Biologie der Polarmeere*, pp. 116–127. Gustav Fischer, Jena.
- Schiermeier, Q. (2007) The new face of the Arctic. *Nature* **446**, 133–135.
- Schlenog, M., Pannowitz, S., Green, T.G.A., and Schroeter, B. (2004) Metabolic recovery of continental Antarctic cryptogams after winter. *Polar Biology* **27**, 399–408.
- Schlichting, H.E., Speziale, B.J., and Zink, R.M. (1978) Dispersal of algae and protozoa by Antarctic flying birds. *Antarctic Journal of the USA* **13**, 147–149.
- Schnack-Schiel, S.B. and Isla, E. (2005) The role of zooplankton in the pelagic-benthic coupling of the Southern Ocean. *Scientia Marina* **69** (suppl. 2), 39–55.
- Schnack-Schiel, S.B., Thomas, D.N., Dieckmann, G.S., Eiken, H., Gradinger, R., Spindler, M. *et al.* (1995) Life cycle strategy of the Antarctic calanoid copepod *Stephos longipes*. *Progress in Oceanography* **36**, 45–75.
- Schnack-Schiel, S.B., Dieckmann, G.S., Kattner, G., and Thomas, D.N. (2004) Copepods in summer platelet ice in the eastern Weddell Sea. *Polar Biology* **27**, 502–506.
- Schreiber, A., Eisinger, M., and Storch, V. (1996) Allozymes characterize sibling species of bipolar Priapulida (*Priapulis*, *Priapulopsis*). *Polar Biology* **16**, 521–526.

- Schultes, S., Verity, P.G., and Bathmann, U. (2006) Copepod grazing during an iron-induced diatom bloom in the Antarctic Circumpolar Current (EisenEx): I. Feeding patterns and grazing impact on prey populations. *Journal of Experimental Marine Biology and Ecology* **338**, 16–34.
- Schulze-Makuch, D. and Irwin, L.N. (2004) *Life in the Universe: Expectations and Constraints*. Springer, Berlin.
- Schumacher, J.D., Bond, N.A., Brodeur, R.D., Livingston, P.A., Napp, J.M., and Stabeno, P.J. (2003) Climate change in the Southeastern Bering Sea and some consequences for biota. In Hempel, G. and Sherman, K. (eds), *Large Marine Ecosystems of the World—Trends in Exploitation, Protection and Research*, pp. 17–40. Elsevier Science, Amsterdam.
- Scott, F.J., Davidson, A.T., and Marchant, H.J. (2001) Grazing by the Antarctic sea-ice ciliate *Pseudocohnilembus*. *Polar Biology* **24**, 127–131.
- Serreze, M.C., Holland, M.M., and Stroeve, J. (2007) Perspectives on the Arctic shrinking sea ice cover. *Science* **315**, 1533–1536.
- Shain, D.H., Masson, T.A., Farrell, A.H., Michalewicz, L.A. (2001) Distribution and behavior of ice worms (*Mesenchytraeus solifugus*) in south-central Alaska. *Canadian Journal of Zoology* **79**, 1813–1821.
- Shepard, A. and Wingham, D.J. (2007) Recent sea level contributions of the Antarctic and Greenland ice sheets. *Science* **315**, 1529–1532.
- Sheridan, P.P., Miteva, V.I., Brenchley, J.E. (2003) Phylogenetic analysis of anaerobic psychrophilic enrichment cultures obtained from a Greenland ice core. *Applied and Environmental Microbiology* **69**, 2153–2160.
- Shick, M.J. and Dunlap, W.C. (2002) Mycosporine like amino acids and related gadusols: biosynthesis, accumulation, and UV-protective functions in aquatic organisms. *Annual Review of Physiology* **64**, 223–262.
- Shreeve, R.S. and Peck, L.S. (1995) Distribution of pelagic larvae of benthic marine invertebrates in the Bellingshausen Sea. *Polar Biology* **15**, 369–374.
- Siegel, V. (2000) Krill (*Euphausiacea*) life history and aspects of population dynamics. *Canadian Journal of Fisheries and Aquatic Sciences* **57**, 130–150.
- Siegel, V. and Loeb, V. (1995) Recruitment of Antarctic krill *Euphausia superba* and possible causes for its variability. *Marine Ecology Progress Series* **123**, 45–56.
- Siegert, M.J., Dowdeswell, J.A., Gorman, M.R., and McIntyre, N.F. (1996) An inventory of antarctic sub-glacial lakes. *Antarctic Science* **8**, 281–286.
- Siegert, M.J., Carter, S.P., Tabacco, I.E., Popov, S., and Blankenship, D.D. (2005) A revised inventory of Antarctic subglacial lakes. *Antarctic Science* **17**, 453–460.
- Simó, R. and Vila-Costa, M. (2006) Ubiquity of algal dimethylsulfoxide in the surface ocean: geographic and temporal distribution patterns. *Marine Chemistry* **100**, 136–146.
- Sjoling, S. and Cowan, D.A. (2003) High 16S rDNA bacterial diversity in glacial meltwater lake sediment, Bratina Island, Antarctica. *Extremophiles* **7**, 275–282.
- Skidmore, M.L., Foght, J.M., and Sharp, M.J. (2000) Microbial life beneath a high arctic glacier. *Applied and Environmental Microbiology* **66**, 3214–3220.
- Slabber, S. and Chown, S.L. (2002) The first record of a terrestrial crustacean, *Porcellio scaber* (Isopoda, Porcellionidae), from sub-Antarctic Marion Island. *Polar Biology* **25**, 855–858.
- Smetacek, V. and Passow, U. (1990) Spring bloom initiation and Sverdrup's critical-depth model. *Limnology and Oceanography* **35**, 228–234.

- Smetacek, V. and Nicol, S. (2005) Polar ocean ecosystems in a changing world. *Nature* **437**, 362–368.
- Smetacek, V., Scharek, R., and Nöthig, E.M. (1990) Seasonal and regional variation in the pelagial and its relationship to the life history cycle of krill. In Kerry, K.R. and Hempel, G. (eds), *Antarctic Ecosystems: Ecological Change and Conservation*, pp. 103–114. Springer, Berlin.
- Smith, C.R., Minks, S., and De Master, D.J. (2006) A synthesis of benthic-pelagic coupling on the Antarctic shelf: food banks, ecosystem inertia and global climate change. *Deep-Sea Research Part II* **53**, 875–894.
- Smith, Jr, K.L., Robison, B.H., Helly, J.J., Kaufmann, R.S., Ruhl, H.A., Shaw, T.J. *et al.* (2007) Free-drifting icebergs: hot spots of chemical and biological enrichment in the Weddell Sea. *Science* **317**, 478–482.
- Smith, R., Prézelin, B., Baker, K., Bidigare, R., Boucher, N., Coley, T. *et al.* (1992) Ozone depletion: ultraviolet radiation and phytoplankton biology in antarctic waters. *Science* **255**, 952–959.
- Smith, R.C., Prézelin, B.B., Baker, K.S., Bidigare, R.R., Boucher, N.P., Coley, T. *et al.* (1992) Ozone depletion: ultraviolet radiation and phytoplankton biology in antarctic waters. *Science* **255**, 952–959.
- Smith, R.I.L. (1972) Vegetation of the South Orkney Islands with particular reference to Signy Island. *British Antarctic Survey Scientific Reports* no. 68.
- Smith, R.I.L. (1988) Destruction of Antarctic terrestrial ecosystems by a rapidly increasing fur seal population. *Biological Conservation* **45**, 55–72.
- Smith, R.I.L. (1990) Signy Island as a paradigm of biological and environmental change in Antarctic terrestrial ecosystems. In Kerry, K.R. and Hempel, G. (eds), *Antarctic Ecosystems, Ecological Change and Conservation*, pp. 32–50. Springer, Berlin.
- Smith, R.I.L. (2005) The thermophilic bryoflora of Deception Island: unique plant communities as a criterion for designating an Antarctic Specially Protected Area. *Antarctic Science* **17**, 17–27.
- Somme, L. (1995) *Invertebrates in Hot and Cold Arid Environments*. Springer, Berlin.
- Sommer, U. (1988) The species composition of Antarctic phytoplankton interpreted in terms of Tilman's competition theory. *Oecologia* **77**, 464–467.
- Song, W. and Wilbert, N. (2000) Ciliates from Antarctic sea ice. *Polar Biology* **23**, 212–222.
- Southwell, C., De la Mer, W.K., Borchers, D., and Burt, L. (2004) Shipboard line transect of crabeater seal abundance in the pack ice off East Antarctica: evaluation of assumptions. *Marine Mammal Science* **20**, 602–620.
- Spaulding, S.A., McKnight, D.M., Smith, R.I., and Dufford, R. (1994) Phytoplankton population dynamics in perennial ice-covered Lake Fryxell, Antarctica. *Journal of Plankton Research* **16**, 527–541.
- Spindler, M. and Dieckmann, G.S. (1986) Distribution and abundance of the planktic foraminifer *Neogloboquadrina pachyderma* in sea ice of the Weddell Sea (Antarctica). *Polar Biology* **5**, 185–191.
- Staley, J.T. and Gosink, J.J. (1999) Poles apart: biodiversity and biogeography of sea ice bacteria. *Annual Review of Microbiology* **53**, 189–215.
- Steig, E.J. (2006) Climate change—the south-north connection. *Nature* **444**, 152–153.

- Stevens, M.I., Greenslade, P., Hogg, I.D., and Sunnucks, P. (2006) Southern hemisphere springtails: could any have survived glaciation of Antarctica? *Molecular Biology and Evolution* **23**, 874–882.
- Stirling, I. and Parkinson, C.L. (2006) Possible effects of climate warming on selected populations of polar bears (*Ursus maritimus*) in the Canadian Arctic. *Arctic* **59**, 261–275.
- Stoecker, D.K., Buck, K.R., and Putt, M. (1993) Changes in the sea ice brine community during the spring-summer transition, McMurdo Sound, Antarctica. I. Photosynthetic protists. *Marine Ecology Progress Series* **95**, 103–113.
- Stoecker, D.K., Gustafson, D.E., Merrell, J.R., Black, M.M.D., and Baier, C.T. (1997) Excystment and growth of chryophytes and dinoflagellates at low temperatures and high salinities in Antarctic sea-ice. *Journal of Phycology* **33**, 585–595.
- Stoecker, D.K., Gustafson, D.E., Black, M.M.D., and Baier, C.T. (1998) Population dynamics of microalgae in the upper land-fast sea ice at a snow free location. *Journal of Phycology* **34**, 60–69.
- Stoecker, D.K., Gustafson, D.E., Baier, C.T., and Black, M.M.D. (2000) Primary production in the upper sea ice. *Aquatic Microbial Ecology* **21**, 275–287.
- Stroeve, J., Holland, M.M., Meier, W., Scambos, T., and Serreze, M. (2007) Arctic sea ice decline: Faster than forecast. *Geophysical Research Letters* **34**, L09501.
- Stokstad, E. (2007) Boom and bust in a Polar hot zone. *Science* **315**, 1522–1523.
- Sunda, W., Kieber, D.J., Kiene, R.P., and Huntsman, S. (2002) An antioxidant function for DMSP and, D.M.S. in marine algae. *Nature* **418**, 317–320.
- Suren, A. (1990) Microfauna associated with algal mats in melt ponds of the Ross Ice Shelf. *Polar Biology* **10**, 329–335.
- Suttle, C.A. (2005) Viruses in the sea. *Nature* **437**, 356–361.
- Suydam, R.S., Lowry, L.F., Frost, K.J., O’Corry-Crowe, G.M., and Pikok, D. (2001) Satellite tracking of eastern Chukchi Sea beluga whales into the Arctic Ocean. *Arctic* **54**, 237–243.
- Tedrow, J.C.F. (1977) *Soils of the Polar Landscapes*. Rutgers University Press, New Brunswick, NJ.
- Teixidó, N., Garrabou, J., Gutt, J., and Arntz, W.E. (2004) Recovery in Antarctic benthos after iceberg disturbance: trends in benthic composition, abundance and growth forms. *Marine Ecology Progress Series* **278**, 1–16.
- Teixidó, N., Gili, J.M., Uriz, M.J., Gutt, J., and Arntz, W.E. (2006) Observations of sexual reproductive strategies in hexactinellid sponges from ROV video records. *Deep Sea Research Part II* **53**, 972–984.
- Thayer, C.W. (1983) Sediment-mediated biological disturbance and the evolution of marine benthos. In Taevesz, M.J.S. and McCall, P.L. (eds), *Biotic Interactions in Recent and Fossil Benthic Communities*, pp. 479–625. Plenum Press, New York.
- Thomas, D.N. and Dieckmann, G.S. (2002) Antarctic sea ice—a habitat for extremophiles. *Science* **295**, 641–644.
- Thomas, D.N., Lara, R.J., Haas, C., Schnack-Schiel, S.B., Nöthig, E.-M., Dieckmann, G.S. et al. (1998) Biological soup within decaying summer sea ice in the Amundsen Sea, Antarctica. *Antarctic Research Series* **73**, 161–171.
- Thomas, D.N., Engbrodt, R., Giannelli, V., Kattner, G., Kennedy, H., Haas, C., and Dieckmann, G.S. (2001) Dissolved organic matter in Antarctic sea ice. *Annals of Glaciology* **33**, 297–303.

- Thomas, W.H. and Duval, B. (1995) Sierra Nevada, California, USA, snow algae: snow albedo changes, algal-bacterial interrelationships, and ultraviolet radiation effects. *Arctic and Alpine Research* **27**, 389–399.
- Thrush, S., Dayton, P., Cattaneo-Vietti, R., Chiantore, M., Cummings, V., Andrew, N. *et al.* (2006) Broad-scale factors influencing the biodiversity of coastal benthic communities of the Ross Sea. *Deep-Sea Research Part II* **53**, 959–971.
- Tilzer, M., Elbrächter, M., Gieskes, W.W., and Beese, B. (1986) Light temperature interactions in the control of photosynthesis in Antarctic phytoplankton. *Polar Biology* **5**, 105–111.
- Tong, S., Vørs, N., and Patterson, D.J. (1997) Heterotrophic flagellates, centrohelid heliozoa and filose amoebae from marine and freshwater sites in the Antarctic. *Polar Biology* **18**, 91–106.
- Tønnesson, J.N. and Johnsen, A.O. (1982) *The History of Modern Whaling*. C. Hurst, London.
- Tranter, M., Fountain, A.G., Fritsen, C.H., Lyons, W.B., Priscu, J.C., Statham, P.J., and Welch, K.A. (2004) Extreme hydrochemical conditions in natural microcosms entombed within Antarctic ice. *Hydrological Processes* **18**, 379–387.
- Trenerry, L.J., McMinn, A., and Ryan, K.G. (2001) In situ oxygen microelectrode measurements of bottom –ice algal production in McMurdo Sound, Antarctica. *Polar Biology* **25**, 72–80.
- Trevena, A.J. and Jones, G.B. (2006) Dimethylsulphide and dimethylsulphonio-propionate in Antarctic sea ice and their release during sea ice melting. *Marine Chemistry* **98**, 210–222.
- Trevena, A.J., Jones, G.B., Wright, S.W., and van den Eenden, R.L. (2003) Profiles of dimethylsulphonio-propionate (DMSP), algal pigments, nutrients, and salinity in the fast ice of Prydz Bay, Antarctica. *Journal of Geophysical Research* **108** (C5), **3145**, doi:10.1029/2002JC001369.
- Turner, J., Colwell, S.R., Marshall, G.J., Lachlan-Cope, T.A., Carleton, A.M., Jones, P.D. *et al.* (2005) Antarctic climate change during the last 50 years. *International Journal of Climatology* **25**, 279–294.
- van de Poll, W.H., Alderkamp, A.C., Janknegt, P.J., Roggeveld, J., and Buma, A.G.J. (2006) Photoacclimation modulates excessive photosynthetically active and ultraviolet radiation effects in a temperate and an Antarctic marine diatom. *Limnology and Oceanography* **51**, 1239–1248.
- Vaughan, S. (2000) Can Antarctic sea-ice extent be determined from whaling records? *Polar Record* **36**, 345–346.
- Vaughan, D.G., Marshall, G.J., Connolley, W.M., King, J.C., and Mulvaney, R. (2001) Climate change—Devil in the detail. *Science* **293**, 1777–1779.
- Vaughan, D.G., Marshall, G.J., Connolley, W.M., Parkinson, C.L., Mulvaney, R., Hodgson, D.A. *et al.* (2003) Recent rapid regional climate warming on the Antarctic Peninsula. *Climatic Change* **60**, 243–274.
- Villafañe, V., Sundbäck, K., Figueroa, F., and Helbling, E. (2003) Photosynthesis in the aquatic environment as affected by UVR. In Ew, H. and He, Z. (eds), *UV Effects in Aquatic Organisms and Ecosystems*, pp. 357–397. Royal Society of Chemistry, Cambridge.
- Vincent, W.F. (1987) Antarctic limnology. In Viner, A.B. (ed.), *Inland Waters of New Zealand*, pp. 379–412. SIPC, Wellington.
- Vincent, W.F. (1988) *Microbial Ecosystems of Antarctica*. Cambridge University Press, Cambridge.

- Vincent, W.F. and Vincent, C.L. (1982) Factors controlling phytoplankton production in Lake Vanda (77°S). *Canadian Journal Fisheries and Aquatic Science* **39**, 1602–1609.
- Vincent, W.F. and Roy, S. (1993) Solar ultraviolet-B radiation and aquatic primary production: damage, protection and recovery. *Environment Review* **1**, 1–12.
- Vincent, W.F. and Hobbie, J.E. (1999) Ecology of lakes and rivers. In Nuttall, M. and Callaghan, T.V. (eds), *The Arctic: a Guide to Research in the Natural and Social Sciences*. Harwood Academic Publishers, Amsterdam.
- Vincent, W.F. and Howard-Williams, C. (2000) Life on snowball Earth. *Science* **287**, 2421.
- Vincent, W.F., Castenholz, R.W., Downes, M.T., and Howard-Williams, C. (1993) Antarctic cyanobacteria: light, nutrients and photosynthesis in the microbial mat environment. *Journal of Phycology* **29**, 745–755.
- Vincent, W.F., Rae, R., Laurion, I., Howard-Williams, C., and Priscu, J.C. (1998) Transparency of Antarctic ice-covered lakes to solar UV radiation. *Limnology and Oceanography* **43**, 618–624.
- Vincent, W.F., Gibson, J.A.E., Pienitz, R., and Villeneuve, V. (2000) Ice shelf microbial ecosystems in the high arctic and implications for life on snowball earth. *Naturwissenschaften* **87**, 137–141.
- Vincent, W.F., Mueller, D.R., and Bonilla, S. (2004) Ecosystems on ice: the microbial ecology of Markham Ice Shelf in the high Arctic. *Cryobiology* **48**, 103–112.
- Vitousek, P.M., D'Antonio, C.M., Loope, L.L., Rejmanek, M., and Westbrooks, R. (1997) Introduced species: a significant component of human-caused global change. *New Zealand Journal of Botany* **21**, 1–16.
- Vopel, K. and Hawes, I. (2006) Photosynthetic performance of benthic microbial mats in Lake Hoare, Antarctica. *Limnology and Oceanography* **51**, 1801–1812.
- Wadhams, P., Dowdswell, J.A., and Schofield, A.N. (eds) (1995) The Arctic and environmental change. *Philosophical Transactions of the Royal Society of London Series A* **352**, 197–385.
- Waleron, M., Waleron, K., Vincent, W.F., and Wilmotte, A. (2007) Allochthonous inputs of riverine picocyanobacteria to coastal waters in the Arctic Ocean. *FEMS Microbiology Ecology* **59**, 356–365.
- Walker, G. (2003) *Snowball Earth: The Story of the Global Catastrophe that Spawned Life as we Know It*. Bloomsbury Publishing, London.
- Walther, G.-R., Post, E., Convey, P., Menel, A., Parmesan, C., Beebee, T.J.C. *et al.* (2002) Ecological responses to recent climate change. *Nature* **416**, 389–395.
- Walton, D.W.H. (ed.) (1987) *Antarctic Science*. Cambridge University Press, Cambridge.
- Weissenberger, J. and Grossmann, S. (1998) Experimental formation of sea ice: importance of water circulation and wave action for incorporation of phytoplankton and bacteria. *Polar Biology* **20**, 178–188.
- Weissenberger, J., Dieckmann, G.S., Gradinger, R., and Spindler, M. (1992) Sea ice: a cast technique to examine and analyse brine pockets and channel structure. *Limnology and Oceanography* **37**, 179–183.
- Werner, I. (2006) Seasonal dynamics, cryo-pelagic interactions and metabolic rates of Arctic pack ice and under ice fauna—a review. *Polarforschung* **75**, 1–19.

- Weykam, G., Thomas, D.N., and Wienke, C. (1997) Growth and photosynthesis of the Antarctic red algae, *Palmaria decipiens* (Palmariales) and *Iridaea cordata* (Gigartinales) during and following extended periods of darkness. *Phycologia* **36**, 395–405.
- Wharton, J.R.A., Vinyard, W.C., Parker, B.C., Simmons, J.G.M., and Seaburg, K.G. (1981) Algae in cryoconite holes on Canada Glacier in Southern Victoria Land, Antarctica. *Phycologia* **20**, 208–211.
- Whitaker, T.M. (1977) Sea ice habitats of Signy Island (South Orkneys) and their primary productivity. In Llano, G.A. (ed.), *Adaptations within Antarctic Ecosystems*, pp. 75–82. Smithsonian Institution, Washington DC.
- Whitehead, K., Karentz, D., and Hedges, J.I. (2001) Mycosporine-like amino acids (MAAs) in phytoplankton, a herbivorous pteropod (*Limacina helicina*), and its pteropod predator (*Clione antarctica*) in McMurdo Bay, Antarctica. *Marine Biology* **139**, 1013–1019.
- Whitton, B.A. and Potts, M. (eds) (2000) *The Ecology of Cyanobacteria; their Diversity in Time and Space*. Kluwer Academic Publishers, Dordrecht.
- Wiebe, W.J., Sheldon, Jr, W.M., and Pomeroy, L.R. (1992) Bacterial growth in the cold: evidence for an enhanced substrate requirement. *Applied and Environmental Microbiology* **58**, 359–364.
- Wielgolaski, F.E. (1975) Primary production of tundra. In Cooper, J.P. (ed.), *Photosynthesis and Productivity in Different Environments*, pp. 75–106. Cambridge University Press, Cambridge.
- Wienke, C. (1996) Recent advances in the investigation of Antarctic macroalgae. *Polar Biology* **16**, 231–240.
- Wienke, C., Clayton, M.N., Gómez, I., Iken, K., Lüder, V.-H., Amoler, C.D., Karsten, V., Hanelt, D., Bischoff, K., and Dunton, K. (2007) Life strategy, eco-physiology and ecology of seaweeds in polar waters. *Review In Environmental Science and Biotechnology* **6**, 95–126.
- Willerslev, E., Hansen, A.J., Christensen, B., Steffensen, J.P., and Arctander, P. (1999) Diversity of holocene life forms in fossil glacier ice. *Proceedings of the National Academy of Sciences USA* **96**, 8017–8021.
- Willerslev, E., Hansen, A.J., Brand, T., Binladen, J., Gilbert, T.M.P., Shapiro, B.A. *et al.* (2003) Diverse plant and animal DNA from Holocene and Pleistocene sedimentary records *Science* **300**, 791–795.
- Willerslev, E., Hansen, A.J., Ronn, R., Brand, T.B., Barnes, I., Wiuf, C. *et al.* (2004) Long-term persistence of bacterial DNA. *Current Biology* **14**, R9–R10.
- Willerslev, E., Cappellini, E., Boomsma, W., Nielson, R., Hebsgaard, M.B., Brand, T.B. *et al.* (2007) Ancient biomolecules from deep ice cores reveal a forested Southern Greenland. *Science* **317**, 111–114.
- Williams, T.D. (1995) *The Penguins*. Oxford University Press, Oxford.
- Wingham, D.J., Siegert, M.J., Shepard, A., and Muir, A.S. (2006) Rapid discharge connects Antarctic subglacial lakes. *Nature* **440**, 1033–1036.
- Winter, C., Moesenerer, M.M., and Herndl, G.J. (2001) Impact of UV radiation on bacterioplankton community composition. *Applied and Environmental Microbiology* **67**, 665–672.
- Wöhrmann, A.H.A. (1997) Freezing resistance in Antarctic and Arctic fishes: its relation to mode of life, ecology and evolution, *Cybiurn* **21**, 423–442.

- Worland, M.R. and Lukesová, A. (2000) The effect of feeding on specific soil algae on the cold-hardiness of two Antarctic micro-arthropods (*Alaskozetes antarcticus* and *Cryptopygus antarcticus*). *Polar Biology* **23**, 766–774.
- World Meteorological Organization (2007) *Scientific Assessment of Ozone Depletion: 2006, Global Ozone Research and Monitoring Project*. Report no. 50. World Meteorological Organization, Geneva.
- Wortmann, H. (1995) Medizinische Untersuchungen zur Circadian-rhythmik und zum Verhalten bei Überwinterern auf einer antarktischen Forschungsstation. *Berichte zur Polarforschung* **169**, 1–261.
- Wynn-Williams, D.D. (1996) Antarctic microbial diversity: the basis of polar ecosystem processes. *Biodiversity and Conservation* **5**, 1271–1293.
- Yager, P.L. and Deming, J.W. (1999) Pelagic microbial activity in an arctic polynya: testing for temperature and substrate interactions using a kinetic approach. *Limnology and Oceanography* **44**, 1882–1893.
- Zwally, H.J., Comiso, J.C., Parkinson, C.L., Cavalieri, D.J., and Gloersen, P. (2002) Variability of the Antarctic Sea Ice Cover. *Journal of Geophysical Research* **107**, 1029–1047.